

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Issue date: 10/21/2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

: Black Cherry # TCDL-CFRA-BOWL-NBLC Product name

HEL 1DH0-3422-J00E-0QST Product code TCDL-CFRA-BOWL-NBLC Type of product : Perfumes, Fragrances Product group : Finished Good

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Industrial use, Professional use Use of the substance/mixture : Perfumes, Fragrances Function or use category : Odour agents

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

The Cosy Owl 20-28 Albert Road, Braintree. Essex CM7 3JQ Tel: +44 1376 560 348

enquiries@cosyowl.com - www.cosyowl.com Company registration number: 07738645

1.4. Emergency telephone number

: +44 1376 560 348 **Emergency number**

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral) Category 4 H302 Skin sensitization, Category 1 H317 Hazardous to the aquatic environment - Chronic Hazard Category 2 H411

Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

Harmful if swallowed. May cause an allergic skin reaction. Toxic to aquatic life with long lasting effects.

2.2. Label elements

Labeling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





GHS07

Signal word (CLP) : Warning

Hazardous ingredients : Aldehyde C-16; Anisyl acetate; trans-Anethole; Benzyl benzoate; Citronellol Pure; Cyclamal;

Damascone Beta; Eugenol; Geranyl acetate; Hexyl cinnamic aldehyde; Linalool; Liffarome;

Orange oil

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Hazard statements (CLP) : H302 - Harmful if swallowed.

H317 - May cause an allergic skin reaction.

H411 - Toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) : P264 - Wash hands, forearms and face thoroughly after handling.

P270 - Do not eat, drink or smoke when using this product.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

2.3. Other hazards

No additional information available

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Benzyl benzoate	(CAS-No.) 120-51-4 (EC-No.) 204-402-9 (EC Index-No.) 607-085-00-9 (REACH-no) 01-2119976371-33	40.2 – 60.4	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Benzene carboxaldehyde	(CAS-No.) 100-52-7 (EC-No.) 202-860-4 (EC Index-No.) 605-012-00-5 (REACH-no) 01-2119455540-44	2.65 – 5.3	Acute Tox. 4 (Oral), H302
Aldehyde C-16	(CAS-No.) 77-83-8 (EC-No.) 201-061-8 (REACH-no) 01-2119967770-28	2.325 – 4.65	Skin Sens. 1B, H317 Aquatic Chronic 2, H411
Hexyl cinnamic aldehyde	(CAS-No.) 101-86-0 (EC-No.) 202-983-3 (REACH-no) 01-2119533092-50	1.975 – 3.95	Skin Sens. 1, H317 Aquatic Chronic 2, H411
Oxypheylon (Raspberry ketone) crystals	(CAS-No.) 5471-51-2 (EC-No.) 226-806-4	1.5 – 3	Acute Tox. 4 (Oral), H302
beta-lonone	(CAS-No.) 14901-07-6 (EC-No.) 238-969-9	1.475 – 2.95	Aquatic Chronic 2, H411
Orange oil	(CAS-No.) 8008-57-9 (EC-No.) 232-433-8 (REACH-no) 01-2119493353-35	1.125 – 2.25	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Verdox	(CAS-No.) 88-41-5 (EC-No.) 201-828-7 (REACH-no) 01-2119970713-33	0.925 – 1.85	Aquatic Chronic 2, H411
Linalool	(CAS-No.) 78-70-6 (EC-No.) 201-134-4 (EC Index-No.) 603-235-00-2 (REACH-no) 01-2119474016-42	0.85 – 1.7	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
			1

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

p-Tolualdehyde	(CAS-No.) 104-87-0 (EC-No.) 203-246-9	0.7 – 1.4	Acute Tox. 4 (Oral), H302
Geranyl acetate	(CAS-No.) 105-87-3 (EC-No.) 203-341-5 (REACH-no) 01-2119973480-35	0.55 – 1.1	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 3, H412
alpha-lonone	(CAS-No.) 127-41-3 (EC-No.) 204-841-6 (REACH-no) 01-2119965149-27	0.525 – 1.05	Aquatic Chronic 3, H412
Benzyl acetate	(CAS-No.) 140-11-4 (EC-No.) 205-399-7 (REACH-no) 01-2119638272-42	0.5 – 1	Aquatic Chronic 3, H412
Anisyl acetate	(CAS-No.) 104-21-2 (EC-No.) 203-185-8	0.375 – 0.75	Skin Sens. 1, H317
Eugenol	(CAS-No.) 97-53-0 (EC-No.) 202-589-1	0.25 – 0.5	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Skin Sens. 1B, H317
Damascone Beta	(CAS-No.) 23726-92-3 (EC-No.) 245-843-7	0.2 – 0.4	Skin Sens. 1B, H317
Allyl caproate	(CAS-No.) 123-68-2 (EC-No.) 204-642-4 (REACH-no) 01-2119983573-26	0.175 – 0.35	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Aquatic Acute 1, H400 Aquatic Chronic 3, H412
Citronellol Pure	(CAS-No.) 106-22-9 (EC-No.) 203-375-0 (REACH-no) 01-2119453995-23	0.15 – 0.3	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
Cyclamal	(CAS-No.) 103-95-7 (EC-No.) 203-161-7 (REACH-no) 01-2119970582-32	0.15 – 0.3	Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 2, H411
Ethyl acetate substance with a Community workplace exposure limit	(CAS-No.) 141-78-6 (EC-No.) 205-500-4 (EC Index-No.) 607-022-00-5 (REACH-no) 01-2119475103-46	0.075 – 0.15	Flam. Liq. 1, H224 Eye Irrit. 2, H319 STOT SE 3, H336
trans-Anethole	(CAS-No.) 4180-23-8 (EC-No.) 224-052-0	0.05 – 0.1	Skin Sens. 1B, H317
Liffarome	(CAS-No.) 67633-96-9 (EC-No.) 266-797-4	0.05 – 0.1	Skin Sens. 1B, H317

Full text of H-phrases: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Call a poison center/doctor/physician if you feel unwell.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash

occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse eyes with water as a precaution.

First-aid measures after ingestion : Rinse mouth. Call a poison center/doctor/physician if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact : May cause an allergic skin reaction.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing

dust/fume/gas/mist/vapors/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Avoid

breathing dust/fume/gas/mist/vapors/spray. Wear personal protective equipment.

Hygiene measures : Contaminated work clothing should not be allowed out of the workplace. Wash

contaminated clothing before reuse. Do not eat, drink or smoke when using this product.

Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

7.3. Specific end use(s)

No additional information available

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Benzyl acetate (140-11-4)		
Belgium - Occupational Exposure Limits		
Limit value [mg/m³]	62 mg/m³	
Limit value [ppm]	10 ppm	
Denmark - Occupational Exposure Limits		
Grænseværdi (8 timer) (mg/m³)	61 mg/m³	
Grænseværdi (8 timer) (ppm)	10 ppm	
Ireland - Occupational Exposure Limits		
OEL (8 hours ref) (ppm)	10 ppm	
OEL (15 min ref) (ppm)	30 ppm (calculated)	
Latvia - Occupational Exposure Limits		
OEL TWA (mg/m³)	5 mg/m³	
Lithuania - Occupational Exposure Limits		
IPRV (mg/m³)	5 mg/m³	
Portugal - Occupational Exposure Limits		
OEL TWA (ppm)	10 ppm	
OEL chemical category (PT)	A4 - Not Classifiable as a Human Carcinogen	
Romania - Occupational Exposure Limits		
OEL TWA (mg/m³)	50 mg/m³	
OEL TWA (ppm)	8 ppm	
OEL STEL (mg/m³)	80 mg/m³	
OEL STEL (ppm)	13 ppm	
Spain - Occupational Exposure Limits		
VLA-ED (mg/m³)	62 mg/m³	
VLA-ED (ppm)	10 ppm	
USA - ACGIH - Occupational Exposure Limits		
ACGIH TWA (ppm)	10 ppm	
ACGIH chemical category	Not Classifiable as a Human Carcinogen	

Benzene carboxaldehyde (100-52-7)		
Bulgaria - Occupational Exposure Limits		
OEL TWA (mg/m³)	5 mg/m³	
Finland - Occupational Exposure Limits		
HTP-arvo (8h) (mg/m³)	4.4 mg/m³	
HTP-arvo (8h) (ppm)	1 ppm	
OEL Ceiling (mg/m³)	17.4 mg/m³	
OEL Ceiling (ppm)	4 ppm	
Hungary - Occupational Exposure Limits		
Exposure Limit Value	5 mg/m³	

CK-érték	10 mg/m³	
Latvia - Occupational Exposure Limits		
OEL TWA (mg/m³)	5 mg/m³	
Lithuania - Occupational Exposure Limits		
IPRV (mg/m³)	5 mg/m³	
Poland - Occupational Exposure Limits		
NDS (mg/m³)	10 mg/m³	
NDSCh (mg/m³)	40 mg/m³	

Ethyl acetate (141-78-6)	
EU - Occupational Exposure Limits	
OELV TWA (mg/m³)	734 mg/m³
OELV TWA (ppm)	200 ppm
OELV STEL (mg/m³)	1468 mg/m³
OELV STEL (ppm)	400 ppm
Austria - Occupational Exposure Limits	
MAK [mg/m³]	734 mg/m³
MAK [ppm]	200 ppm
MAK Short time value [mg/m³]	1468 mg/m³
MAK Short time value [ppm]	400 ppm
Belgium - Occupational Exposure Limits	
_imit value [mg/m³]	734 mg/m³
_imit value [ppm]	200 ppm
Short time value [mg/m³]	1468 mg/m³
Short time value [ppm]	400 ppm
Bulgaria - Occupational Exposure Limits	
DEL TWA (mg/m³)	734 mg/m³
OEL TWA (ppm)	200 ppm
DEL STEL (mg/m³)	1468 mg/m³
OEL STEL (ppm)	400 ppm
Croatia - Occupational Exposure Limits	
GVI (granična vrijednost izloženosti) (mg/m³)	734 mg/m³
GVI (granična vrijednost izloženosti) (ppm)	200 ppm
KGVI (kratkotrajna granična vrijednost izloženosti) (mg/m³)	1468 mg/m³
KGVI (kratkotrajna granična vrijednost izloženosti) (ppm)	400 ppm
Cyprus - Occupational Exposure Limits	•
DEL TWA (mg/m³)	734 mg/m³
OEL TWA (ppm)	200 ppm
DEL STEL (mg/m³)	1468 mg/m³
OEL STEL (ppm)	400 ppm

Czech Republic - Occupational Exposure Limits		
Exposure limits (PEL) (mg/m³)	700 mg/m³	
Denmark - Occupational Exposure Limits		
Grænseværdi (8 timer) (mg/m³)	540 mg/m³	
Grænseværdi (8 timer) (ppm)	150 ppm	
Estonia - Occupational Exposure Limits		
OEL TWA (mg/m³)	500 mg/m³	
OEL TWA (ppm)	150 ppm	
OEL STEL (mg/m³)	1100 mg/m³	
OEL STEL (ppm)	300 ppm	
Finland - Occupational Exposure Limits		
HTP-arvo (8h) (mg/m³)	730 mg/m³	
HTP-arvo (8h) (ppm)	200 ppm	
HTP-arvo (15 min)	1470 mg/m³	
HTP-arvo (15 min) (ppm)	400 ppm	
France - Occupational Exposure Limits		
VME [mg/m³]	1400 mg/m³	
VME [ppm]	400 ppm	
Germany - Occupational Exposure Limits (TRGS 90	0)	
Occupational exposure limit value (mg/m³)	730 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
Occupational exposure limit value (ppm)	200 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
Gibraltar - Occupational Exposure Limits		
Eight hours mg/m3	200 mg/m³	
Eight hours ppm	734 ppm	
Short-term mg/m3	400 mg/m³	
Short-term ppm	1468 ppm	
Greece - Occupational Exposure Limits		
OEL TWA (mg/m³)	734 mg/m³	
OEL TWA (ppm)	200 ppm	
OEL STEL (mg/m³)	1468 mg/m³	
OEL STEL (ppm)	400 ppm	
Hungary - Occupational Exposure Limits		
Exposure Limit Value	734 mg/m³	
CK-érték	1468 mg/m³	
OEL chemical category (HU)	Sensitizer	
Ireland - Occupational Exposure Limits		
OEL (8 hours ref) (mg/m³)	734 mg/m³	
OEL (8 hours ref) (ppm)	200 ppm	
OEL (15 min ref) (mg/m3)	1468 mg/m³	
OEL (15 min ref) (ppm)	400 ppm	
	I	

Latvia - Occupational Exposure Limits	
OEL TWA (mg/m³)	200 mg/m³
OEL TWA (ppm)	54 ppm
Lithuania - Occupational Exposure Limits	от ури
IPRV (mg/m³)	500 mg/m³
IPRV (ppm)	150 ppm
NRV (mg/m³)	1100 mg/m³
NRV (ppm)	300 ppm
Luxembourg - Occupational Exposure Limits	4400
OEL STEL (mg/m³)	1468 mg/m³
OEL STEL (ppm)	400 ppm
Malta - Occupational Exposure Limits	
OEL TWA (mg/m³)	734 mg/m³
OEL TWA (ppm)	200 ppm
OEL STEL (mg/m³)	1468 mg/m³
OEL STEL (ppm)	400 ppm
Netherlands - Occupational Exposure Limits	
Grenswaarde TGG 8H (mg/m³)	734 mg/m³
Grenswaarde TGG 15MIN (mg/m³)	1468 mg/m³
Poland - Occupational Exposure Limits	
NDS (mg/m³)	734 mg/m³
NDSCh (mg/m³)	1468 mg/m³
Portugal - Occupational Exposure Limits	
OEL TWA (mg/m³)	734 mg/m³ (indicative limit value)
OEL TWA (ppm)	200 ppm (indicative limit value)
OEL STEL (mg/m³)	1468 mg/m³ (indicative limit value)
OEL STEL (ppm)	400 ppm (indicative limit value)
Romania - Occupational Exposure Limits	
OEL TWA (mg/m³)	400 mg/m³
OEL TWA (ppm)	111 ppm
OEL STEL (mg/m³)	500 mg/m³
OEL STEL (ppm)	139 ppm
Slovakia - Occupational Exposure Limits	
NPHV (priemerná) (mg/m³)	734 mg/m³
NPHV (priemerná) (ppm)	200 ppm
NPHV (Hraničná) (mg/m³)	1100 mg/m³
Slovenia - Occupational Exposure Limits	I .
OEL TWA (mg/m³)	734 mg/m³
OEL TWA (ppm)	200 ppm
OEL STEL (mg/m³)	1468 mg/m³
OEL STEL (ppm)	400 ppm
VI /	· · ·

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Spain - Occupational Exposure Limits		
VLA-ED (mg/m³)	734 mg/m³	
VLA-ED (ppm)	200 ppm	
VLA-EC (mg/m³)	1468 mg/m³	
VLA-EC (ppm)	400 ppm	
Sweden - Occupational Exposure Limits		
nivågränsvärde (NVG) (mg/m³)	500 mg/m³	
nivågränsvärde (NVG) (ppm)	150 ppm	
kortidsvärde (KTV) (mg/m³)	1100 mg/m³	
kortidsvärde (KTV) (ppm)	300 ppm	
United Kingdom - Occupational Exposure Limits		
WEL TWA (mg/m³)	734 mg/m³	
WEL TWA (ppm)	200 ppm	
WEL STEL (mg/m³)	1468 mg/m³	
WEL STEL [ppm]	400 ppm	
Norway - Occupational Exposure Limits		
TWA (AN) (mg/m³)	734 mg/m³	
TWA (AN) (ppm)	200 ppm	
TWA (Korttidsverdi) (mg/m3)	917.5 mg/m³ (value calculated)	
TWA (Korttidsverdi) (ppm)	250 ppm (value calculated)	
Switzerland - Occupational Exposure Limits		
MAK (mg/m³)	730 mg/m³	
MAK (ppm)	200 ppm	
KZGW (mg/m³)	1460 mg/m³	
KZGW (ppm)	400 ppm	
USA - ACGIH - Occupational Exposure Limits		
ACGIH TWA (ppm)	400 ppm	

8.2. Exposure controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Hand protection:	
Protective gloves	

Eye protection	n:		
Safety glasse	3		

Skin and body protection:	
Wear suitable protective clothing	

Respiratory protection:	
In case of insufficient ventilation, wear suitable respiratory equipment	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Personal protective equipment symbol(s):



Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Color : light yellow. amber. Odor : characteristic. Odor threshold : No data available No data available pΗ Relative evaporation rate (butyl acetate=1) : No data available Melting point : Not applicable Freezing point : No data available **Boiling point** : No data available

Flash point : 70 °C (closed cup) ASTM D7094

Auto-ignition temperature : No data available
Decomposition temperature : No data available
Flammability (solid, gas) : Not applicable
Vapor pressure : No data available
Relative vapor density at 20 °C : No data available

Relative density : 1.1

Solubility : No data available
Partition coefficient n-octanol/water (Log Pow) : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available
Explosive properties : No data available
Oxidizing properties : No data available
Explosion limits : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Harmful if swallowed.
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Black Cherry # TCDL-CFRA-BOWL-NBLC

ATE CLP (oral) 760.168 mg/kg body weight

Allyl caproate (123-68-2)	
LD50 oral	300 mg/kg body weight
LD50 dermal	300 mg/kg body weight
LC50 Inhalation - Rat (Vapours)	3 mg/l/4h

Aldehyde C-16 (77-83-8)

LD50 oral rat 5470 mg/kg

trans-Anethole (4180-23-8)

LD50 oral rat 2090 mg/kg

Benzyl acetate (140-11-4)	
LD50 oral rat	2490 mg/kg
LD50 oral	2490 mg/kg body weight
LD50 dermal rabbit	> 5000 mg/kg

Benzene carboxaldehyde (100-52-7)	
LD50 oral rat	1292 mg/kg
LD50 dermal rabbit	> 1250 mg/kg

Benzyl benzoate (120-51-4)	
LD50 oral rat	500 mg/kg
LD50 oral	1500 mg/kg body weight
LD50 dermal rabbit	4000 mg/kg
LD50 dermal	4000 mg/kg body weight

Citronellol Pure (106-22-9)	
LD50 oral rat	3450 mg/kg
LD50 oral	3450 mg/kg body weight
LD50 dermal rabbit	2650 mg/kg
LD50 dermal	2650 mg/kg body weight

Cyclamal (103-95-7)	
LD50 oral rat	3810 mg/kg
LD50 oral	3810 mg/kg body weight

Damascone Beta (23726-92-3)	
LD50 oral	2920 mg/kg body weight

Ethyl acetate (141-78-6)	
LD50 oral rat	5620 mg/kg
LD50 dermal rabbit	> 18000 mg/kg
LC50 Inhalation - Rat [ppm]	4000 ppm/4h

Eugenol (97-53-0)	
LD50 oral rat	1930 mg/kg
LD50 oral	2500 mg/kg body weight

Geranyl acetate (105-87-3)	
LD50 oral rat	6330 mg/kg

Hexyl cinnamic aldehyde (101-86-0)	
LD50 oral rat	3100 mg/kg
LD50 oral	3100 mg/kg body weight
LD50 dermal rabbit	> 3000 mg/kg
LC50 Inhalation - Rat	> 5 mg/l/4h

alpha-lonone (127-41-3)	
LD50 oral	4590 mg/kg body weight

beta-lonone (14901-07-6)	
LD50 oral rat	4590 mg/kg

Linalool (78-70-6)	
LD50 oral	2790 mg/kg body weight

Orange oil (8008-57-9)	
LD50 oral rat	4400 mg/kg
LD50 dermal rabbit	> 5000 mg/kg

Oxypheylon (Raspberry ketone) crystals (5471-51-2)	
LD50 oral rat	1320 mg/kg

p-Tolualdehyde (104-87-0)	
LD50 oral rat	1600 mg/kg
LD50 oral	1000 mg/kg body weight

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Verdox (88-41-5)	
LD50 oral rat	4600 mg/kg
LD50 oral	4600 mg/kg body weight

Skin corrosion/irritation : Not classified Serious eye damage/irritation : Not classified

Respiratory or skin sensitization : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified Carcinogenicity : Not classified

Benzyl acetate (140-11-4)

IARC group 3 - Not classifiable

Eugenol (97-53-0)

IARC group 3 - Not classifiable

Reproductive toxicity : Not classified

STOT-single exposure : Not classified

STOT-repeated exposure : Not classified

Aspiration hazard : Not classified

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Toxic to aquatic life with long lasting effects.

: Not classified

Hazardous to the aquatic environment, short-term

(acute)

Hazardous to the aquatic environment, long-term

(chronic)

: Toxic to aquatic life with long lasting effects.

Allyl caproate (123-68-2)

LC50 fish 1

0.117 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])

Aldehyde C-16 (77-83-8)	
LC50 fish 1	4.2 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [semi-static])

Benzene carboxaldehyde (100-52-7)	
LC50 fish 1	10.6 – 11.8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through])
LC50 fish 2	12.69 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])

Benzyl benzoate (120-51-4)	
LC50 fish 1	2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])
NOEC (chronic)	0.168 mg/l

Ethyl acetate (141-78-6)	
LC50 fish 1	220 – 250 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
LC50 fish 2	484 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through])

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

EC50 Daphnia 1	560 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
----------------	--

Eugenol (97-53-0)	
LC50 fish 1	13 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])

Linalool (78-70-6)	
EC50 96h algae (1)	88.3 mg/l (Species: Desmodesmus subspicatus)

12.2. Persistence and degradability

Benzyl benzoate (120-51-4)	
Persistence and degradability	May cause long-term adverse effects in the environment.

12.3. Bioaccumulative potential

Benzyl acetate (140-11-4)	
Partition coefficient n-octanol/water (Log Pow)	1.96

Benzene carboxaldehyde (100-52-7)	
BCF fish 1	(no significant bioaccumulation)
Partition coefficient n-octanol/water (Log Pow)	1.48 (at 20 °C)

Benzyl benzoate (120-51-4)	
Partition coefficient n-octanol/water (Log Pow)	4
Bioaccumulative potential	Not established.

Ethyl acetate (141-78-6)	
BCF fish 1	30
Partition coefficient n-octanol/water (Log Pow)	0.6

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

14.1. UN number

 UN-No. (ADR)
 : UN 3082

 UN-No. (IMDG)
 : UN 3082

 UN-No. (IATA)
 : UN 3082

 UN-No. (ADN)
 : Not regulated

 UN-No. (RID)
 : Not regulated

14.2. UN proper shipping name

Proper Shipping Name (ADR) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. Proper Shipping Name (IMDG) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Proper Shipping Name (IATA) : Environmentally hazardous substance, liquid, n.o.s.

Proper Shipping Name (ADN) : Not regulated Proper Shipping Name (RID) : Not regulated

Transport document description (ADR) : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl

Benzoate), 9, III, (-)

Transport document description (IMDG) : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl

Benzoate), 9, III, MARINE POLLUTANT

Transport document description (IATA) : UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Benzyl Benzoate), 9, III

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 9
Hazard labels (ADR) : 9



IMDG

Transport hazard class(es) (IMDG) : 9
Hazard labels (IMDG) : 9



IATA

Transport hazard class(es) (IATA) : 9
Hazard labels (IATA) : 9



ADN

Transport hazard class(es) (ADN) : Not regulated

RID

Transport hazard class(es) (RID) : Not regulated

14.4. Packing group

Packing group (ADR) : III
Packing group (IMDG) : III
Packing group (IATA) : III

Packing group (ADN) : Not regulated Packing group (RID) : Not regulated

14.5. Environmental hazards

Dangerous for the environment : Yes

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Marine pollutant : Yes

Other information : No supplementary information available

14.6. Special precautions for user

Overland transport

Classification code (ADR) : M6

Special provision (ADR) : 274, 335, 375, 601

Limited quantities (ADR) : 5l Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Special packing provisions (ADR) : PP1
Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions (ADR) : T4
Portable tank and bulk container special provisions : TP1, TP29

(ADR)

Tank code (ADR) : LGBV
Vehicle for tank carriage : AT
Transport category (ADR) : 3
Special provisions for carriage - Packages (ADR) : V12
Special provisions for carriage - Loading, unloading : CV13

and handling (ADR)

Hazard identification number (Kemler No.) : 90

Orange plates :

90 3082

Tunnel restriction code (ADR) : EAC : •3Z

Transport by sea

Special provision (IMDG) : 274, 335, 969

Limited quantities (IMDG) : 5 L
Excepted quantities (IMDG) : E1

Packing instructions (IMDG) : LP01, P001 Packing provisions (IMDG) : PP1 : IBC03 IBC packing instructions (IMDG) Tank instructions (IMDG) : T4 : TP1, TP29 Tank special provisions (IMDG) : F-A EmS-No. (Fire) EmS-No. (Spillage) : S-F Stowage category (IMDG) : A

Air transport

PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y964
PCA limited quantity max net quantity (IATA) : 30kgG
PCA packing instructions (IATA) : 964
PCA max net quantity (IATA) : 450L
CAO packing instructions (IATA) : 964
CAO max net quantity (IATA) : 450L

Special provision (IATA) : A97, A158, A197

ERG code (IATA) : 9L

Inland waterway transport

Not regulated

Rail transport

Not regulated

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006:		
Reference code	Applicable	
3(a)	Ethyl acetate ; Orange oil	
3(b)	Black Cherry # TCDL-CFRA-BOWL-NBLC; Allyl caproate; Aldehyde C-16; Anisyl acetate; trans-Anethole; Benzene carboxaldehyde; Benzyl benzoate; Citronellol Pure; Cyclamal; Damascone Beta; Ethyl acetate; Eugenol; Geranyl acetate; Hexyl cinnamic aldehyde; Linalool; Liffarome; Orange oil; p-Tolualdehyde	
3(c)	Black Cherry # TCDL-CFRA-BOWL-NBLC; Allyl caproate; Aldehyde C-16; Benzyl acetate; Benzyl benzoate; Cyclamal; Geranyl acetate; Hexyl cinnamic aldehyde; alpha-lonone; beta-lonone; Orange oil; Verdox	
40.	Ethyl acetate ; Orange oil	

Contains no REACH candidate substance

Contains no REACH Annex XIV substances.

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance(s) subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

15.1.2. National regulations

giftige stoffen - Ontwikkeling

Germany

Employment restrictions : Observe restrictions according Act on the Protection of Working Mothers (MuSchG)
Observe restrictions according Act on the Protection of Young People in Employment

(JArbSchG)

Water hazard class (WGK) : WGK 2, significant hazardous to water (Classification according to AwSV, Annex 1)

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

riazardous incident Ordinance (12. bimocny)

Netherlands

SZW-lijst van kankerverwekkende stoffen : Liffarome,Orange oil are listed

SZW-lijst van mutagene stoffen : Liffarome,Orange oil are listed NIET-limitatieve lijst van voor de voortplanting : None of the components are listed

giftige stoffen – Borstvoeding
NIET-limitatieve lijst van voor de voortplanting : None of the components are listed

giftige stoffen – Vruchtbaarheid

NIET-limitatieve lijst van voor de voortplanting : None of the components are listed

Denmark

Class for fire hazard : Class III-1 Store unit : 50 liter

Classification remarks : Flammable according to the Danish Ministry of Justice; Emergency management guidelines

for the storage of flammable liquids must be followed

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct contact with

the product

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate

BLV	Biological limit value
CAS-No.	Chemical Abstract Service number
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC50	Median effective concentration
EC-No.	European Community number
EN	European Standard
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
vPvB	Very Persistent and Very Bioaccumulative
WGK	Water Hazard Class

Full text of H- and EUH-phrases:	
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Inhalation)	Acute toxicity (inhalation) Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral) Category 3
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment - Chronic Hazard Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment - Chronic Hazard Category 3
Asp. Tox. 1	Aspiration hazard Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 1	Flammable liquids Category 1
Flam. Liq. 3	Flammable liquids Category 3
Skin Irrit. 2	Skin corrosion/irritation Category 2
Skin Sens. 1	Skin sensitization, Category 1
Skin Sens. 1B	Skin sensitization, Category 1B
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Extremely flammable liquid and vapor.
Flammable liquid and vapor.
Toxic if swallowed.
Harmful if swallowed.
May be fatal if swallowed and enters airways.
Toxic in contact with skin.
Causes skin irritation.
May cause an allergic skin reaction.
Causes serious eye irritation.
Toxic if inhaled.
May cause drowsiness or dizziness.
Very toxic to aquatic life.
Toxic to aquatic life with long lasting effects.
Harmful to aquatic life with long lasting effects.

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.