

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Date of issue: 11/5/2019 Supersedes: 8/23/2019 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : French Vanilla #TCDL-CFRA-BOWL-NFVA

UFI : 15KH-M178-900K-HJGE
Product code : TCDL-CFRA-BOWL-NFVA
Type of product : Perfumes, Fragrances
Product group : Finished Good

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Industrial use,Professional use Industrial/Professional use spec : For professional use only

Industrial

Use of the substance/mixture : Perfumes, Fragrances

Function or use category : Odour agents

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

The Cosy Owl 20-28 Albert Road, Braintree, Essex CM7 3JQ Tel: +44 1376 560 348

<u>enquiries@cosyowl.com</u> – <u>www.cosyowl.com</u> Company registration number: 07738645

1.4. Emergency telephone number

Emergency number: +44 1376 560 348

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral) Category 4 H302
Serious eye damage/eye irritation Category 2 H319
Skin sensitization, Category 1 H317
Hazardous to the aquatic environment - Chronic Hazard Category 2 H411

Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

Harmful if swallowed. Causes serious eye irritation. Toxic to aquatic life with long lasting effects. May cause an allergic skin reaction.

2.2. Label elements

Labeling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





GHS07 GHS09

Signal word (CLP) : Warning

Hazardous ingredients : Benzyl benzoate; Heliotropine crystals

Hazard statements (CLP) : H302 - Harmful if swallowed.

H317 - May cause an allergic skin reaction. H319 - Causes serious eye irritation.

H411 - Toxic to aquatic life with long lasting effects.

: P264 - Wash hands thoroughly after handling.

Precautionary statements (CLP) : P264 - Wash hands thoroughly after handling.

P270 - Do not eat, drink or smoke when using this product.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

1/11

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

2.3. Other hazards

No additional information available

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Benzyl benzoate	(CAS-No.) 120-51-4 (EC-No.) 204-402-9 (EC Index-No.) 607-085-00-9 (REACH-no) 01-2119976371-33	45.6 - 65.6	Acute Tox. 4 (Oral), H302 Aquatic Chronic 2, H411
Phenylmethanol	(CAS-No.) 100-51-6 (EC-No.) 202-859-9 (EC Index-No.) 603-057-00-5 (REACH-no) 01-2119492630-38	6.25 - 12.5	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332
Ethyl vanillin crystals	(CAS-No.) 121-32-4 (EC-No.) 204-464-7 (REACH-no) 01-211958961-24	5 - 10	Eye Irrit. 2, H319
Vanillin	(CAS-No.) 121-33-5 (EC-No.) 204-465-2 (REACH-no) 01-2119516040-60	2 - 4	Eye Irrit. 2, H319
Anisic aldehyde	(CAS-No.) 123-11-5 (EC-No.) 204-602-6 (REACH-no) 01-2119977101-43	1 - 2	Aquatic Chronic 3, H412
Heliotropine crystals	(CAS-No.) 120-57-0 (EC-No.) 204-409-7 (REACH-no) 01-2119983608-21	0.625 - 1.25	Skin Sens. 1B, H317

Full text of H-phrases: see section 16

SECTION 4: First aid measures

11	Description	of first aid	moscuroc
4-1-	Describion	OF THIS FAIG	measines

First-aid measures general

: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Call a poison center/doctor/physician if you feel unwell

First-aid measures after inhalation

: Remove person to fresh air and keep comfortable for breathing. Allow affected person to

ontoot

breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact

: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention. Specific treatment (see supplemental first aid instruction on this label). Wash contaminated clothing before reuse. Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. If skin irritation occurs: Get medical advice/attention. Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.

First-aid measures after eye contact

: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion

: Call a POISON CENTER or doctor/physician if you feel unwell. Do NOT induce vomiting. Obtain emergency medical attention. Rinse mouth. Call a poison center/doctor/physician if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects

: Not expected to present a significant hazard under anticipated conditions of normal use.

Symptoms/effects after inhalation
Symptoms/effects after skin contact

: May cause an allergic skin reaction.: May cause an allergic skin reaction.

: Eye irritation.

Symptoms/effects after eye contact Symptoms/effects after ingestion

: Swallowing a small quantity of this material will result in serious health hazard.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Sand. Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Firefighting instructions

: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire-fighting water from entering environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures

: Ventilate spillage area. Evacuate unnecessary personnel. Avoid contact with skin and

eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

Protective equipment

Emergency procedures

: Do not attempt to take action without suitable protective equipment. Equip cleanup crew

with proper protection. For further information refer to section 8: "Exposure

: Ventilate area.

6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

controls/personal protection".

6.3. Methods and material for containment and cleaning up

For containment

: Collect spillage.

Methods for cleaning up

: Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection. For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling

: Ensure good ventilation of the work station. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. Avoid contact with skin and

eyes. Wear personal protective equipment. Avoid breathing dust/fume/gas/mist/vapours/spray.

Hygiene measures

: Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

: Keep only in the original container in a cool, well ventilated place away from : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container closed when not in use. Store in a well-ventilated place. Keep cool.

Incompatible products : Strong bases. Strong acids.
Incompatible materials : Sources of ignition. Direct sunlight.

Storage temperature : 25 °C

Storage area : Store in a well-ventilated place. Store away from heat.

Special rules on packaging : Store in a closed container.

Packaging materials : Do not store in corrodable metal.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Phenylmethanol (100-51-6)

Bulgaria - Occupational Exposure Limits

OEL TWA (mg/m³) 5 mg/m³

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Czech Republic - Occupational Exposure Limits		
Exposure limits (PEL) (mg/m³)	40 mg/m³	
Finland - Occupational Exposure Limits		
HTP-arvo (8h) (mg/m³)	45 mg/m³	
HTP-arvo (8h) (ppm)	10 ppm	
Germany - Occupational Exposure Limits (TRGS 900)		
Occupational exposure limit value (mg/m³)	22 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
Occupational exposure limit value (ppm)	5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
Chemical category	skin notation	
Latvia - Occupational Exposure Limits		
OEL TWA (mg/m³)	5 mg/m³	
Lithuania - Occupational Exposure Limits		
IPRV (mg/m³)	5 mg/m³	
OEL chemical category (LT)	skin notation	
Poland - Occupational Exposure Limits		
NDS (mg/m³)	240 mg/m³	
Slovenia - Occupational Exposure Limits		
OEL TWA (mg/m³)	22 mg/m³	
OEL TWA (ppm)	5 ppm	
OEL STEL (mg/m³)	44 mg/m³	
OEL STEL (ppm)	10 ppm	
OEL chemical category (SI)	Potential for cutaneous absorption	
Switzerland - Occupational Exposure Limits		
MAK (mg/m³)	22 mg/m³ (aerosol, vapour)	
MAK (ppm)	5 ppm (aerosol, vapour)	
OEL chemical category (CH)	skin notation	
8.2. Exposure controls		

8.2. Exposure controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Personal protective equipment:

Avoid all unnecessary exposure.

Hand protection:
Wear protective gloves.
Eye protection:
Chemical goggles or safety glasses. Safety glasses
Skin and body protection:
Wear suitable protective clothing
Respiratory protection:
Wear appropriate mask

Environmental exposure controls:

Avoid release to the environment.

Other information:

Do not eat, drink or smoke during use.

Safety Data Sheet

Boiling point

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Color : light yellow. amber.
Odor : characteristic.
Odor threshold : No data available
pH : No data available
Relative evaporation rate (butyl acetate=1) : No data available
Melting point : Not applicable
Freezing point : No data available

Flash point : > 93.3 °C (closed cup) ASTM D7094

: No data available

Auto-ignition temperature : No data available
Decomposition temperature : No data available
Flammability (solid, gas) : Not applicable
Vapor pressure : No data available
Relative vapor density at 20 °C : No data available

Relative density : ≈ 1.03

Solubility : No data available
Log Pow : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available
Explosive properties : No data available
Oxidizing properties : No data available
Explosion limits : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Not established.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Harmful if swallowed.

Acute toxicity (dermal) : Not classified

Acute toxicity (inhalation) : Not classified

French Vanilla #TCDL-CFRA-BOWL-NFVA

ATE CLP (oral) 640.205 mg/kg body weight

Anisic aldehyde (123-11-5)		
LD50 oral rat	> 2000 mg/kg	
LD50 oral	3210 mg/kg body weight	
LD50 dermal rabbit	> 5000 mg/kg	
LC50 inhalation rat (mg/l)	> 0.32 mg/l (Exposure time: 7 h)	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Vanillin (121-33-5)	
LD50 dermal rabbit	> 5010 mg/kg

Ethyl vanillin crystals (121-32-4)	
LD50 oral rat	1590 mg/kg
LD50 oral	3000 mg/kg body weight

Phenylmethanol (100-51-6)	
LD50 oral rat	1230 mg/kg
LD50 oral	1620 mg/kg body weight
LD50 dermal	2500 mg/kg body weight

Benzyl benzoate (120-51-4)	
LD50 oral rat	500 mg/kg
LD50 oral	1500 mg/kg body weight
LD50 dermal rabbit	4000 mg/kg
LD50 dermal	4000 mg/kg body weight

Heliotropine crystals (120-57-0)		
LD50 oral rat	2700 mg/kg	
Skin corrosion/irritation	: Not classified	
Serious eye damage/irritation	: Causes serious eye irritation.	
Respiratory or skin sensitization	: May cause an allergic skin reaction.	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
Reproductive toxicity	: Not classified	
STOT-single exposure	: Not classified	
STOT-repeated exposure	: Not classified	
Aspiration hazard	: Not classified	
Potential Adverse human health effects and symptoms	: Harmful if swallowed. Based on available data, the classification criteria are not met.	

SECTION 12: Ecological information

4.0				
12.	1 1	OY	CI	tv
				L y

: Toxic to aquatic life with long lasting effects. Ecology - general

Hazardous to the aquatic environment, short-term : Not classified

(acute)

: Toxic to aquatic life with long lasting effects. Hazardous to the aquatic environment, long-term

(chronic)

Vanillin (121-33-5)	
LC50 fish 1	53 - 61.3 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
LC50 fish 2	88 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
NOEC (acute)	10000 mg/kg (Exposure time: 42 Days - Species: Eisenia foetida [soil dry weight])

Ethyl vanillin crystals (121-32-4)	
LC50 fish 1	81.4 - 94.3 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])

Phenylmethanol (100-51-6)	
LC50 fish 1	460 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
LC50 fish 2	10 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])

Safety Data Sheet

LC50 fish 1

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

EC50 Daphnia 1 23 m	ng/l (Exposure time: 48 h - Species: water flea)
---------------------	--

Benzyl benzoate (120-51-4)	
LC50 fish 1	2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])
NOEC (chronic)	0.168 mg/l

NOEC (chronic)	U.168 mg/l
Heliotropine crystals (120-57-0)	

2.5 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [static])

12.2. Persistence and degradability

French Vanilla #TCDL-CFRA-BOWL-NFVA

Persistence and degradability Not established.

Benzyl benzoate (120-51-4)	
Persistence and degradability May cause long-term adverse effects in the environment.	
12.3. Bioaccumulative potential	
French Vanilla #TCDL-CFRA-BOWL-NFVA	
Bioaccumulative potential Not established.	

Vanillin (121-33-5)	
Log Pow	1.23 (at 22 °C)

Phenylmethanol (100-51-6)	
Log Pow	1.1

Benzyl benzoate (120-51-4)	
Log Pow	4
Bioaccumulative potential	Not established.

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

Additional information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Product/Packaging disposal recommendations : Dispose of contents/container in accordance with local/national laws and regulations.

Dispose in a safe manner in accordance with local/national regulations.

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number	
UN-No. (ADR)	: UN 3082
UN-No. (IMDG)	: UN 3082
UN-No. (IATA)	: UN 3082
UN-No. (ADN)	: UN 3082
UN-No. (RID)	: UN 3082

14.2. UN proper shipping name

Proper Shipping Name (ADR) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Proper Shipping Name (IMDG) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Proper Shipping Name (IATA) : Environmentally hazardous substance, liquid, n.o.s.

Proper Shipping Name (ADN) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

11/5/2019 (Version: 1.0) EN (English US) 7/11

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Proper Shipping Name (RID) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Transport document description (ADR) : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl

Benzoate), 9, III, (-)

Transport document description (IMDG) : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl

Benzoate), 9, III, MARINE POLLUTANT

Transport document description (IATA) : UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Benzyl Benzoate), 9, III

: UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl

Benzoate), 9, III

9

Transport document description (RID) : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III

14.3. Transport hazard class(es)

Transport document description (ADN)

ADR

Transport hazard class(es) (ADR)
Hazard labels (ADR)



IMDG

Transport hazard class(es) (IMDG) 9
Hazard labels (IMDG) 9



IATA

Transport hazard class(es) (IATA) 9
Hazard labels (IATA) 9




ADN

Transport hazard class(es) (ADN) 9
Hazard labels (ADN) 9



RID

Transport hazard class(es) (RID) 9
Hazard labels (RID) 9



14.4. Packing group

Packing group (ADR) III
Packing group (IMDG) III
Packing group (IATA) III
Packing group (ADN) III
Packing group (RID) III

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

14.5. Environmental hazards

Dangerous for the environment : Yes
Marine pollutant : Yes

Other information : No supplementary information available

14.6. Special precautions for user

Overland transport

Classification code (ADR) : M6

Special provision (ADR) : 274, 335, 375, 601

Limited quantities (ADR) : 5I Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Special packing provisions (ADR) : PP1
Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions : T4

(ADR)

Portable tank and bulk container special provisions

(ADR)

Tank code (ADR) : LGBV
Vehicle for tank carriage : AT
Transport category (ADR) 3
Special provisions for carriage - Packages (ADR) : V12
Special provisions for carriage - Loading, : CV13

unloading and handling (ADR)

: TP1, TP29

Hazard identification number (Kemler No.) 90

Orange plates

90 3082

Tunnel restriction code (ADR) : EAC : •3Z

Transport by sea

Special provision (IMDG) : 274, 335, 969

Limited quantities (IMDG) : 5 L

Excepted quantities (IMDG) : E1

Packing instructions (IMDG) : LP01, P001
Packing provisions (IMDG) : PP1
IBC packing instructions (IMDG) : IBC03
Tank instructions (IMDG) : T4

Tank special provisions (IMDG) : TP2, TP29

EmS-No. (Fire) : F-A

EmS-No. (Spillage) : S-F

Stowage category (IMDG) : A

Air transport

PCA Excepted quantities (IATA) : E1

PCA Limited quantities (IATA) : Y964

PCA limited quantity max net quantity (IATA) : 30kgG

PCA packing instructions (IATA) : 964

PCA max net quantity (IATA) : 450L

CAO packing instructions (IATA) : 964

CAO max net quantity (IATA) : 450L

Special provision (IATA) : A97, A158, A197

ERG code (IATA) : 9L

Inland waterway transport

Classification code (ADN) : M6

Special provision (ADN) : 274, 335, 375, 601

Limited quantities (ADN) : 5 L
Excepted quantities (ADN) : E1
Carriage permitted (ADN) : T

11/5/2019 (Version: 1.0) EN (English US) 9/11

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Equipment required (ADN) Number of blue cones/lights (ADN) Λ

Rail transport

Classification code (RID) : M6

Special provision (RID) : 274, 335, 375, 601

Limited quantities (RID) : 5L Excepted quantities (RID) : E1

Packing instructions (RID) : P001, IBC03, LP01, R001

Special packing provisions (RID) : PP1 Mixed packing provisions (RID) : MP19 Portable tank and bulk container instructions (RID) : T4 Portable tank and bulk container special provisions : TP1, TP29

(RID)

Tank codes for RID tanks (RID) : LGBV Transport category (RID) 3 Special provisions for carriage - Packages (RID) : W12

Special provisions for carriage - Loading,

unloading and handling (RID)

: CW13, CW31

Colis express (express parcels) (RID) : CE8 Hazard identification number (RID) 90

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

The following res	The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006:	
Reference code	Reference code Applicable on	
3(b)	French Vanilla #TCDL-CFRA-BOWL-NFVA ; Benzyl benzoate ; Phenylmethanol	
3(c)	French Vanilla #TCDL-CFRA-BOWL-NFVA; Benzyl benzoate; Anisic aldehyde	

Contains no REACH candidate substance

Contains no REACH Annex XIV substances

Contains no substance subject to REGULATION (EU) No 649/2012 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance(s) subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

15.1.2. National regulations

Germany

: Water hazard class (WGK) 2, significant hazardous to water (Classification according to Reference to AwSV

AwSV, Annex 1)

12th Ordinance Implementing the Federal Immission Control Act - 12.BlmSchV

: Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

Netherlands

SZW-lijst van kankerverwekkende stoffen : None of the components are listed SZW-lijst van mutagene stoffen : None of the components are listed NIET-limitatieve lijst van voor de voortplanting

giftige stoffen - Borstvoeding

: None of the components are listed

NIET-limitatieve lijst van voor de voortplanting

giftige stoffen - Vruchtbaarheid

: None of the components are listed

NIET-limitatieve lijst van voor de voortplanting

giftige stoffen - Ontwikkeling

: None of the components are listed

Denmark

Classification remarks : Emergency management guidelines for the storage of flammable liquids must be followed

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product

> Pregnant/breastfeeding women working with the product must not be in direct contact with the product

11/5/2019 (Version: 1.0) EN (English US) 10/11

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Other information : None.

Full text of H- and EUH-phrases:		
Acute Tox. 4 (Inhalation)	Acute toxicity (inhalation) Category 4	
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4	
Aquatic Chronic 2	Hazardous to the aquatic environment - Chronic Hazard Category 2	
Aquatic Chronic 3	Hazardous to the aquatic environment - Chronic Hazard Category 3	
Eye Irrit. 2	Serious eye damage/eye irritation Category 2	
Skin Sens. 1B	Skin sensitization, category 1B	
H302	Harmful if swallowed	
H317	May cause an allergic skin reaction	
H319	Causes serious eye irritation	
H332	Harmful if inhaled	
H411	Toxic to aquatic life with long lasting effects	
H412	Harmful to aquatic life with long lasting effects	

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.