

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878 Issue date: 4/20/2023 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : French Vanilla #TCDL-CFRA-BOWL-NFVA

UFI : 5QAU-94AP-R00R-D1Y7
Product code : #TCDL-CFRA-BOWL-NFVA
Type of product : Perfumes, fragrances
Product group : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use, Industrial use

Industrial/Professional use spec : Industrial

For professional use only : Perfumes, fragrances

Use of the substance/mixture : Perfumes, frag Function or use category : Odour agents

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

The Cosy Owl 20-28 Albert Road, Braintree, Essex CM7 3JQ

Tel: +44 1376 560 348

enquiries@cosyowl.com - www.cosyowl.com

1.4. Emergency telephone number

Emergency number : +44 (0) 1376 560348

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 2 H315
Serious eye damage/eye irritation, Category 2 H319
Skin sensitisation, Category 1 H317

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS07

Signal word (CLP) : Warning

Contains : Heliotropine; Cinnamic aldehyde; alpha-Methylcinnamic aldehyde

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Hazard statements (CLP) : H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction. H319 - Causes serious eye irritation.

Precautionary statements (CLP) : P264 - Wash hands, forearms and face thoroughly after handling.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P302+P352 - IF ON SKIN: Wash with plenty of water.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P332+P313 - If skin irritation occurs: Get medical advice/attention.

2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Dipropylene glycol monomethyl ether substance with national workplace exposure limit(s) (AT, BE, BG, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GI, GR, HR, HU, IE, IT, LT, LU, LV, MT, NL, PL, PT, RO, SE, SI, SK, NO, CH, TR); substance with a Community workplace exposure limit	CAS-No.: 34590-94-8 EC-No.: 252-104-2	33 – 66	Not classified
Benzyl alcohol substance with national workplace exposure limit(s) (BG, CZ, DE, FI, LT, LV, PL, SI, CH)	CAS-No.: 100-51-6 EC-No.: 202-859-9 EC Index-No.: 603-057-00-5 REACH-no: 01-2119492630- 38	6.6 – 13.18	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319
Ethyl vanillin	CAS-No.: 121-32-4 EC-No.: 204-464-7 REACH-no: 01-211958961-24	5 – 10	Eye Irrit. 2, H319
Vanillin	CAS-No.: 121-33-5 EC-No.: 204-465-2 REACH-no: 01-2119516040- 60	2 – 4	Eye Irrit. 2, H319
Heliotropine	CAS-No.: 120-57-0 EC-No.: 204-409-7 REACH-no: 01-2119983608- 21	0.6 – 1.25	Skin Sens. 1B, H317
Ethyl acetoacetate substance with national workplace exposure limit(s) (RO)	CAS-No.: 141-97-9 EC-No.: 205-516-1	0.3 – 0.5	Not classified

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Cinnamic aldehyde	CAS-No.: 104-55-2 EC-No.: 203-213-9 REACH-no: 01-2119935242- 45	0.2 – 0.4	Acute Tox. 4 (Dermal), H312 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 3, H412
alpha-Methylcinnamic aldehyde	CAS-No.: 101-39-3 EC-No.: 202-938-8 REACH-no: 01-2119538797- 21	0.1 – 0.12	Skin Sens. 1, H317 Aquatic Chronic 1, H410
Benzaldehyde substance with national workplace exposure limit(s) (BG, FI, HU, LT, LV, PL)	CAS-No.: 100-52-7 EC-No.: 202-860-4 EC Index-No.: 605-012-00-5 REACH-no: 01-2119455540-	0.1 – 0.1	Acute Tox. 4 (Oral), H302
Butyric acid substance with national workplace exposure limit(s) (BG, LT, LV, RO)	CAS-No.: 107-92-6 EC-No.: 203-532-3 EC Index-No.: 607-135-00-X	0.1 – 0.1	Skin Corr. 1B, H314

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water.
First-aid measures after eye contact : Rinse eyes with water as a precaution.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

No additional information available

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the

product

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

Storage temperature : 25 °C

Storage area : Store in a well-ventilated place. Store away from heat.

Special rules on packaging : Store in a closed container.

Packaging materials : Do not store in corrodable metal.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Dipropylene glycol monomethyl ether (34590-94-8)		
EU - Indicative Occupational Exposure Limit (IOEL)		
IOEL TWA	308 mg/m³	
IOEL TWA [ppm]	50 ppm	
Remark	Possibility of significant uptake through the skin	
Austria - Occupational Exposure Limits		
MAK (OEL TWA)	307 mg/m³ (mixed isomers)	
MAK (OEL TWA) [ppm]	50 ppm (mixed isomers)	
MAK (OEL STEL)	614 mg/m³ (isomers mixtures)	

Safety Data Sheet

Dipropylene glycol monomethyl ether (34590-94-8)		
MAK (OEL STEL) [ppm]	100 ppm (isomers mixtures)	
OEL chemical category	Skin notation	
Belgium - Occupational Exposure Limits		
OEL TWA	308 mg/m³	
OEL TWA [ppm]	50 ppm	
OEL chemical category	Skin, Skin notation	
Bulgaria - Occupational Exposure Limits		
OEL TWA	308 mg/m³	
OEL TWA [ppm]	50 ppm	
Croatia - Occupational Exposure Limits		
GVI (OEL TWA) [1]	308 mg/m³	
GVI (OEL TWA) [2]	50 ppm	
OEL chemical category	Skin notation	
Cyprus - Occupational Exposure Limits		
OEL TWA	308 mg/m³	
OEL TWA [ppm]	50 ppm	
OEL chemical category	Skin-potential for cutaneous absorption	
Czech Republic - Occupational Exposure Limits		
PEL (OEL TWA)	270 mg/m³	
OEL chemical category	Potential for cutaneous absorption	
Denmark - Occupational Exposure Limits		
OEL TWA [1]	309 mg/m³	
OEL TWA [2]	50 ppm	
OEL chemical category	Potential for cutaneous absorption	
Estonia - Occupational Exposure Limits		
OEL TWA	308 mg/m³	
OEL TWA [ppm]	50 ppm	
OEL chemical category	Skin notation	
Finland - Occupational Exposure Limits		
HTP (OEL TWA) [1]	310 mg/m³	
HTP (OEL TWA) [2]	50 ppm	
OEL chemical category	Potential for cutaneous absorption	
France - Occupational Exposure Limits		
VME (OEL TWA)	308 mg/m³ (restrictive limit)	
VME (OEL TWA) [ppm]	50 ppm (restrictive limit)	
OEL chemical category	Risk of cutaneous absorption	
Germany - Occupational Exposure Limits (TRGS 900)		
AGW (OEL TWA) [1]	310 mg/m³ (isomer mixture)	

Safety Data Sheet

<u> </u>			
Dipropylene glycol monomethyl ether (34590-94-8)			
Gibraltar - Occupational Exposure Limits			
OEL TWA	308 mg/m³		
OEL TWA [ppm]	50 ppm		
OEL chemical category	Skin notation		
Greece - Occupational Exposure Limits			
OEL TWA	600 mg/m³		
OEL TWA [ppm]	100 ppm		
OEL STEL	900 mg/m³		
OEL STEL [ppm]	150 ppm		
OEL chemical category	skin - potential for cutaneous absorption		
Hungary - Occupational Exposure Limits			
AK (OEL TWA)	308 mg/m³		
Ireland - Occupational Exposure Limits			
OEL TWA [1]	308 mg/m³ ((2-Methoxymethylethoxy)propanol)		
OEL TWA [2]	50 ppm ((2-Methoxymethylethoxy)propanol)		
OEL STEL	924 mg/m³ (calculated (2-(2-Methoxypropoxy)-1-propanol)		
OEL STEL [ppm]	150 ppm (calculated (2-(2-Methoxypropoxy)-1-propanol)		
OEL chemical category	Potential for cutaneous absorption		
Italy - Occupational Exposure Limits			
OEL TWA	308 mg/m³		
OEL TWA [ppm]	50 ppm		
OEL chemical category	skin - potential for cutaneous absorption		
Latvia - Occupational Exposure Limits			
OEL TWA	308 mg/m³		
OEL TWA [ppm]	50 ppm		
OEL chemical category	skin - potential for cutaneous exposure		
Lithuania - Occupational Exposure Limits			
IPRV (OEL TWA)	300 mg/m³ (2-(2-Methoxypropoxy)-propanol)		
IPRV (OEL TWA) [ppm]	50 ppm (2-(2-Methoxypropoxy)-propanol)		
TPRV (OEL STEL)	450 mg/m³ (2-(2-Methoxypropoxy)-propanol)		
TPRV (OEL STEL) [ppm]	75 ppm (2-(2-Methoxypropoxy)-propanol)		
OEL chemical category	Skin notation		
Luxembourg - Occupational Exposure Limits			
OEL TWA	308 mg/m³		
OEL TWA [ppm]	50 ppm		
OEL chemical category	Possibility of significant uptake through the skin		
Malta - Occupational Exposure Limits			
OEL TWA	308 mg/m³		
OEL TWA [ppm]	50 ppm		

Safety Data Sheet

Dipropylene glycol monomethyl ether (34590-94-8)		
OEL chemical category	Possibility of significant uptake through the skin	
Netherlands - Occupational Exposure Limits		
TGG-8u (OEL TWA)	300 mg/m³	
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	240 mg/m³ (mixture of isomers: 1-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-2-methylethoxy)propan-2-ol and 2-(2-Methoxy-1-methylethoxy)propan-1-ol)	
NDSCh (OEL STEL)	480 mg/m³ (mixture of isomers: 1-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-2-methylethoxy)propan-2-ol, 2-(2-Methoxy-1-methylethoxy)propan-1-ol)	
Portugal - Occupational Exposure Limits		
OEL TWA	308 mg/m³ (indicative limit value)	
OEL TWA [ppm]	50 ppm (indicative limit value)	
OEL STEL [ppm]	150 ppm	
OEL chemical category	skin - potential for cutaneous exposure indicative limit value	
Romania - Occupational Exposure Limits		
OEL TWA	308 mg/m³	
OEL TWA [ppm]	50 ppm	
OEL chemical category	Skin notation	
Slovakia - Occupational Exposure Limits		
NPHV (OEL TWA) [1]	308 mg/m³	
NPHV (OEL TWA) [2]	50 ppm	
OEL chemical category	Potential for cutaneous absorption	
Slovenia - Occupational Exposure Limits		
OEL TWA	308 mg/m³	
OEL TWA [ppm]	50 ppm	
OEL STEL	308 mg/m³	
OEL STEL [ppm]	50 ppm	
OEL chemical category	Potential for cutaneous absorption	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA) [1]	308 mg/m³ (indicative limit value)	
VLA-ED (OEL TWA) [2]	50 ppm (indicative limit value)	
OEL chemical category	skin - potential for cutaneous absorption	
Sweden - Occupational Exposure Limits		
NGV (OEL TWA)	300 mg/m³	
NGV (OEL TWA) [ppm]	50 ppm	
KTV (OEL STEL)	450 mg/m³	
KTV (OEL STEL) [ppm]	75 ppm	
OEL chemical category	Skin notation	
United Kingdom - Occupational Exposure Limits		
WEL TWA (OEL TWA) [1]	308 mg/m³	
WEL TWA (OEL TWA) [2]	50 ppm	

Safety Data Sheet

Dipropylene glycol monomethyl ether (34590-94-8)			
WEL STEL (OEL STEL)	924 mg/m³ (calculated)		
WEL STEL (OEL STEL) [ppm]	150 ppm (calculated)		
WEL chemical category	Potential for cutaneous absorption		
Norway - Occupational Exposure Limits			
Grenseverdi (OEL TWA) [1]	300 mg/m³		
Grenseverdi (OEL TWA) [2]	50 ppm		
Korttidsverdi (OEL STEL)	375 mg/m³ (value calculated)		
Korttidsverdi (OEL STEL) [ppm]	75 ppm (value calculated)		
OEL chemical category	Skin notation		
Switzerland - Occupational Exposure Limits			
MAK (OEL TWA) [1]	300 mg/m³ (aerosol, vapour)		
MAK (OEL TWA) [2]	50 ppm (aerosol, vapour)		
KZGW (OEL STEL)	300 mg/m³ (aerosol, vapour)		
KZGW (OEL STEL) [ppm]	50 ppm (aerosol, vapour)		
USA - ACGIH - Occupational Exposure Limits			
ACGIH OEL TWA [ppm]	100 ppm		
ACGIH OEL STEL [ppm]	150 ppm		
ACGIH chemical category	Skin - potential significant contribution to overall exposure by the cutaneous route		
Benzyl alcohol (100-51-6)			
Bulgaria - Occupational Exposure Limits			
OEL TWA	5 mg/m³		
Czech Republic - Occupational Exposure Limits			
PEL (OEL TWA)	40 mg/m³		
Finland - Occupational Exposure Limits			
HTP (OEL TWA) [1]	45 mg/m³		
HTP (OEL TWA) [2]	10 ppm		
Germany - Occupational Exposure Limits (TRGS 900)			
AGW (OEL TWA) [1]	22 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)		
AGW (OEL TWA) [2]	5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)		
Chemical category	Skin notation		
Latvia - Occupational Exposure Limits			
OEL TWA	5 mg/m³		
Lithuania - Occupational Exposure Limits			
IPRV (OEL TWA)	5 mg/m³		
OEL chemical category	Skin notation		
Poland - Occupational Exposure Limits	Poland - Occupational Exposure Limits		
NDS (OEL TWA)	240 mg/m³		

Safety Data Sheet

Pentryl clockel (400 54 6)		
Benzyl alcohol (100-51-6)		
Slovenia - Occupational Exposure Limits		
OEL TWA	22 mg/m³	
OEL TWA [ppm]	5 ppm	
OEL STEL	44 mg/m³	
OEL STEL [ppm]	10 ppm	
OEL chemical category	Potential for cutaneous absorption	
Switzerland - Occupational Exposure Limits		
MAK (OEL TWA) [1]	22 mg/m³ (aerosol, vapour)	
MAK (OEL TWA) [2]	5 ppm (aerosol, vapour)	
OEL chemical category	Skin notation	
Ethyl acetoacetate (141-97-9)		
Romania - Occupational Exposure Limits		
OEL TWA	100 mg/m³	
OEL TWA [ppm]	19 ppm	
OEL STEL	200 mg/m³	
OEL STEL [ppm]	38 ppm	
Benzaldehyde (100-52-7)		
Bulgaria - Occupational Exposure Limits		
OEL TWA	5 mg/m³	
Finland - Occupational Exposure Limits		
HTP (OEL TWA) [1]	4.4 mg/m³	
HTP (OEL TWA) [2]	1 ppm	
HTP (OEL C)	17.4 mg/m³	
HTP (OEL C) [ppm]]	4 ppm	
Hungary - Occupational Exposure Limits		
AK (OEL TWA)	5 mg/m³	
CK (OEL STEL)	10 mg/m³	
Latvia - Occupational Exposure Limits		
OEL TWA	5 mg/m³	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	5 mg/m³	
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	10 mg/m³	
NDSCh (OEL STEL)	40 mg/m³	
Butyric acid (107-92-6)		
Bulgaria - Occupational Exposure Limits		
OEL TWA	10 mg/m³	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Butyric acid (107-92-6)		
Latvia - Occupational Exposure Limits		
OEL TWA	10 mg/m³	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	10 mg/m³	
Romania - Occupational Exposure Limits		
OEL TWA	15 mg/m³	
OEL TWA [ppm]	4 ppm	
OEL STEL	30 mg/m³	
OEL STEL [ppm]	8 ppm	

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):







8.2.2.1. Eye and face protection

Eye protection:

Safety glasses

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Protective gloves

8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : light yellow. amber. : characteristic. Odour Odour threshold Not available · Not available Melting point Freezing point : Not available Boiling point : Not available Flammability : Not available : Not available **Explosive limits** : Not available Lower explosion limit

Flash point : > 93 °C (closed cup) ASTM D7094

: Not available

Auto-ignition temperature : Not available Decomposition temperature : Not available : Not available : Not available Viscosity, kinematic : Not available Solubility : Not available Partition coefficient n-octanol/water (Log Kow) : Not available Vapour pressure : Not available Vapour pressure at 50°C : Not available Density : Not available Relative density Relative vapour density at 20°C : Not available Particle characteristics : Not applicable

9.2. Other information

Upper explosion limit

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Acute toxicity (dermar) Acute toxicity (inhalation)	Not classified	
Dipropylene glycol monomethyl ether (34590-94-8)		
LD50 oral rat	5.35 g/kg	
LD50 dermal rabbit	9500 mg/kg	
Benzyl alcohol (100-51-6)		
LD50 oral rat	1230 mg/kg	
LD50 oral	1620 mg/kg bodyweight	
LD50 dermal	2500 mg/kg bodyweight	
Ethyl vanillin (121-32-4)		
LD50 oral rat	1590 mg/kg	
LD50 oral	3000 mg/kg bodyweight	
LD50 dermal rat	> 2000 mg/kg	
Vanillin (121-33-5)		
LD50 dermal rabbit	> 5010 mg/kg	
LD50 dermal	2600 mg/kg bodyweight	
Heliotropine (120-57-0)		
LD50 oral rat	2700 mg/kg	
LD50 oral	2700 mg/kg bodyweight	
LD50 dermal rat	> 5000 mg/kg	
Ethyl acetoacetate (141-97-9)		
LD50 oral rat	3980 mg/kg	
LD50 dermal rabbit	> 5000 mg/kg	
Cinnamic aldehyde (104-55-2)		
LD50 oral rat	2220 mg/kg	
LD50 oral	2200 mg/kg bodyweight	
LD50 dermal rabbit	1260 mg/kg	
LD50 dermal	1100 mg/kg bodyweight	
alpha-Methylcinnamic aldehyde (101-39-3)		
LD50 oral rat	2050 mg/kg	
LD50 oral	2050 mg/kg bodyweight	
LD50 dermal rabbit	> 5 g/kg	
Benzaldehyde (100-52-7)		
LD50 oral rat	1292 mg/kg	
LD50 dermal rabbit	> 1250 mg/kg	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Butyric acid (107-92-6)		
LD50 oral rat	2	2 g/kg
LD50 oral		1630 mg/kg bodyweight
LD50 dermal rabbit	Ę	530 mg/kg
Skin corrosion/irritation	: C	Causes skin irritation.
Serious eye damage/irritation	: C	Causes serious eye irritation.
Respiratory or skin sensitisation	: N	May cause an allergic skin reaction.
Germ cell mutagenicity	: N	lot classified
Carcinogenicity	: N	lot classified
Reproductive toxicity	: N	lot classified
STOT-single exposure	: N	lot classified
STOT-repeated exposure	: N	lot classified
Aspiration hazard	: N	lot classified
Heliotropine (120-57-0)		
Viscosity, kinematic	1	Not applicable

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

: The product is not considered harmful to aquatic organisms nor to cause long-term adverse Ecology - general

effects in the environment.

Hazardous to the aquatic environment, short-term

: Not classified

Hazardous to the aquatic environment, long-term

(obrania)

: Not classified

(chronic)		
Dipropylene glycol monomethyl ether (34590-94-8)		
LC50 - Fish [1]	> 10000 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])	
EC50 - Crustacea [1]	1919 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
Benzyl alcohol (100-51-6)		
LC50 - Fish [1]	460 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])	
LC50 - Fish [2]	10 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])	
EC50 - Crustacea [1]	23 mg/l (Exposure time: 48 h - Species: water flea)	
Ethyl vanillin (121-32-4)		
LC50 - Fish [1]	81.4 – 94.3 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])	
Vanillin (121-33-5)		
LC50 - Fish [1]	53 – 61.3 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])	
LC50 - Fish [2]	88 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])	
NOEC (acute)	10000 mg/kg (Exposure time: 42 Days - Species: Eisenia foetida [soil dry weight])	
Heliotropine (120-57-0)		
LC50 - Fish [1]	2.5 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [static])	
Ethyl acetoacetate (141-97-9)		
LC50 - Fish [1]	298 mg/l (Exposure time: 96 h - Species: Pimephales promelas)	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Ethyl acetoacetate (141-97-9)		
LC50 - Fish [2]	290 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)	
EC50 - Crustacea [1]	646 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
EC50 72h - Algae [1]	> 500 mg/l (Species: Desmodesmus subspicatus)	
Benzaldehyde (100-52-7)		
LC50 - Fish [1]	10.6 – 11.8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through])	
LC50 - Fish [2]	12.69 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])	
Butyric acid (107-92-6)		
EC50 72h - Algae [1]	46.7 mg/l (Species: Desmodesmus subspicatus)	

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

Dipropylene glycol monomethyl ether (34590-94-8)			
0.35 (at 25 °C (at pH 7)			
1.05			
1.61 (at 25 °C)			
1.23 (at 22 °C)			
1.2 (at 35 °C)			
0.8 (at 20 °C)			
Cinnamic aldehyde (104-55-2)			
2.1065 (at 25 °C)			
Benzaldehyde (100-52-7)			
(no significant bioaccumulation)			
1.4 (at 25 °C)			
Butyric acid (107-92-6)			
1.1 (at 25 °C (at pH 3)			

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods HP Code

- : Dispose of contents/container in accordance with licensed collector's sorting instructions. : HP3 "Flammable:"
- flammable liquid waste: liquid waste having a flash point below 60 °C or waste gas oil, diesel and light heating oils having a flash point > 55 °C and \leq 75 °C;
- flammable pyrophoric liquid and solid waste: solid or liquid waste which, even in small quantities, is liable to ignite within five minutes after coming into contact with air;
- flammable solid waste: solid waste which is readily combustible or may cause or contribute to fire through friction;
- flammable gaseous waste: gaseous waste which is flammable in air at 20 °C and a standard pressure of 101.3 kPa;
- water reactive waste: waste which, in contact with water, emits flammable gases in dangerous quantities;
- other flammable waste: flammable aerosols, flammable self-heating waste, flammable organic peroxides and flammable self-reactive waste.
- HP4 "Irritant skin irritation and eye damage:" waste which on application can cause skin irritation or damage to the eye.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID	
14.1. UN number or ID number					
Not applicable	Not applicable	applicable Not applicable Not applicable		Not applicable	
14.2. UN proper shipping name					
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
14.3. Transport hazard class(es)					
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
14.4. Packing group					
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
14.5. Environmental hazards					
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
No supplementary information available					

14.6. Special precautions for user

Overland transport

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

Inland waterway transport

Not applicable

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Rail transport

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(b)	Benzyl alcohol	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

Name	CN designation	CAS-No.	CN code	Category	Threshold	Annex
Piperonal		120-57-0	2932 93 00	Category 1		Annex I

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

15.1.2. National regulations

France

Occupational diseases		
Code Description		
RG 84	Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide	

Germany

Employment restrictions : Observe restrictions according Act on the Protection of Working Mothers (MuSchG).

Observe restrictions according Act on the Protection of Young People in Employment

(JArbSchG).

Water hazard class (WGK) : WGK 1, Slightly hazardous to water (Classification according to AwSV, Annex 1).

List of sensitizing substances (TRGS 907) : Contains sensitizing substances according TRGS 907.

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

ABM category : A(3) - hazardous for aquatic organisms, may have longterm hazardous effects in aquatic

environment

SZW-lijst van kankerverwekkende stoffen : None of the components are listed

SZW-lijst van mutagene stoffen : None of the components are listed SZW-lijst van reprotoxische stoffen – Borstvoeding : None of the components are listed

SZW-lijst van reprotoxische stoffen – : None of the components are listed

Vruchtbaarheid

SZW-lijst van reprotoxische stoffen – Ontwikkeling : None of the components are listed

ozv njet van i

Denmark

Classification remarks : Emergency management guidelines for the storage of flammable liquids must be followed

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct contact with

the product

Switzerland

Storage class (LK) : LK 10/12 - Liquids

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Full text of H- and EUH-statements:		
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4	
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1	
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
H302	Harmful if swallowed.	
H312	Harmful in contact with skin.	
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Full text of H- and EUH-statements:		
H317	May cause an allergic skin reaction.	
H319	Causes serious eye irritation.	
H332	Harmful if inhaled.	
H410	Very toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1	Skin sensitisation, Category 1	
Skin Sens. 1B	Skin sensitisation, category 1B	

The classification complies with : ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.