

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Issue date: 3/26/2018 Revision date: 3/12/2021 Supersedes version of: 10/11/2019 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form	: Mixture
Product name	: Mango #TCDL-CFRA-BOWL-NMAN
UFI	: 487T-F2GD-300A-DQT1
Product code	: TCDL-CFRA-BOWL-NMAN
Type of product	: Perfumes, Fragrances
Product group	: Finished Good

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category Industrial/Professional use spec

Use of the substance/mixture Function or use category

Industrial : Perfumes, Fragrances : Odour agents

: Industrial use, Professional use

: For professional use only

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

The Cosy Owl 20-28 Albert Road, Braintree. Essex CM7 3JQ Tel: +44 1376 560 348 enquiries@cosyowl.com - www.cosyowl.com Company registration number: 07738645

1.4. Emergency telephone number

Emergency number:

+44 1376 560 348

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation Category 2	H315
Serious eye damage/eye irritation Category 1	H318
Skin sensitization, Category 1	H317
Hazardous to the aquatic environment - Chronic Hazard Category 2	H411
Full text of H statements : see section 16	

Adverse physicochemical, human health and environmental effects

Causes serious eye damage. Toxic to aquatic life with long lasting effects. May cause an allergic skin reaction. Causes skin irritation.

2.2. Label elements

Labeling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Contains	: Geraniol; Lemon oil ; Linalyl acetate; Triplal (Vertocitral); Linalool
Hazard statements (CLP)	: H315 - Causes skin irritation.
	H317 - May cause an allergic skin reaction.
	H318 - Causes serious eye damage.
	H411 - Toxic to aquatic life with long lasting effects.
Precautionary statements (CLP)	: P264 - Wash hands, forearms and face thoroughly after handling.
	P272 - Contaminated work clothing should not be allowed out of the workplace.
	P273 - Avoid release to the environment.
	P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing.
	P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

2.3. Other hazards

No additional information available

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]		
Aldehyde C-14	(CAS-No.) 104-67-6 (EC-No.) 203-225-4 (REACH-no) 01-2119959333-34	2.825 – 5.65	Aquatic Chronic 3, H412		
Dimethylbenzyl carbinyl butyrate(DMBCB)	(CAS-No.) 10094-34-5 (EC-No.) 233-221-8 (REACH-no) 01-2120742578-44	2.725 – 5.45	Skin Irrit. 2, H315 Aquatic Chronic 2, H411		
Geraniol	(CAS-No.) 106-24-1 (EC-No.) 203-377-1 (EC Index-No.) 603-241-00-5 (REACH-no) 01-2119552430-49	1.85 – 3.7	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317		
cis-3-Hexenyl salicylate	(CAS-No.) 65405-77-8 (EC-No.) 265-745-8	1.325 – 2.65	Aquatic Acute 1, H400 Aquatic Chronic 1, H410		
Lemon oil	(CAS-No.) 8008-56-8 (EC-No.) 284-515-8;616-925-3	1.325 – 2.65	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 1, H410		
Linalool	(CAS-No.) 78-70-6 (EC-No.) 201-134-4 (EC Index-No.) 603-235-00-2 (REACH-no) 01-2119474016-42	1.175 – 2.35	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317		
Benzyl acetate	(CAS-No.) 140-11-4 (EC-No.) 205-399-7 (REACH-no) 01-2119638272-42	1.15 – 2.3	Aquatic Chronic 3, H412		
Vanillin	(CAS-No.) 121-33-5 (EC-No.) 204-465-2 (REACH-no) 01-2119516040-60	0.5 – 1	Eye Irrit. 2, H319		
Linalyl acetate	(CAS-No.) 115-95-7 (EC-No.) 204-116-4 (REACH-no) 01-2119454789-19	0.45 – 0.9	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317		

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Allyl heptanoate	(CAS-No.) 142-19-8 (EC-No.) 205-527-1 (REACH-no) 01-2119488961-23	0.3 – 0.6	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Aquatic Acute 1, H400 Aquatic Chronic 3, H412
Triplal (Vertocitral)	(CAS-No.) 68039-49-6 (EC-No.) 268-264-1	0.225 – 0.45	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 3, H412

Full text of H-phrases: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures					
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).				
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Allow affected person to breathe fresh air. Allow the victim to rest.				
First-aid measures after skin contact	 Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention. Specific treatment (see supplemental first aid instruction on this label). Wash contaminated clothing before reuse. Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. If skin irritation occurs: Get medical advice/attention. Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention. 				
First-aid measures after eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.				
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Call a poison center/doctor/physician if you feel unwell.				
4.2. Most important symptoms and effects, both acute and delayed					
Symptoms/effects Symptoms/effects after inhalation Symptoms/effects after skin contact Symptoms/effects after eye contact	 Not expected to present a significant hazard under anticipated conditions of normal use. May cause an allergic skin reaction. May cause an allergic skin reaction. Irritation. Serious damage to eyes. 				

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media Unsuitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand. : Do not use a heavy water stream.
5.2. Special hazards arising from the subst	ance or mixture
Hazardous decomposition products in case of fire	: Toxic fumes may be released.
5.3. Advice for firefighters	
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 6: Accidental release	measures			
6.1. Personal precautions, protective equipment and emergency procedures				
6.1.1. For non-emergency personnel				
Emergency procedures	: Ventilate spillage area. Evacuate unnecessary personnel. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray.			
6.1.2. For emergency responders				
Protective equipment	: Do not attempt to take action without suitable protective equipment. Equip cleanup crew with proper protection. For further information refer to section 8: "Exposure controls/personal protection".			
Emergency procedures	: Ventilate area.			
6.2. Environmental precautions				
Avoid release to the environment. Prevent	entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.			
6.3. Methods and material for containment and cleaning up				

to. Methods and material for containment and cleaning up					
For containment	: Collect spillage.				
Methods for cleaning up	: Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.				
Other information	: Dispose of materials or solid residues at an authorized site.				
6.4. Reference to other sections					

See Heading 8. Exposure controls and personal protection. For further information refer to section 13.

e work station. Avoid breathing
work station. Avoid breathing
pray. Wash hands and other exposed areas with mild soap and or smoking and when leaving work. Provide good ventilation in nation of vapor. Avoid contact with skin and eyes. Wear nt.
hould not be allowed out of the workplace. Wash e reuse. Do not eat, drink or smoke when using this product. ndling the product.
ainer in a cool, well ventilated place away from : Keep away rks, open flames and other ignition sources. No smoking. Keep use. Store in a well-ventilated place. Keep cool.
nlight.
e. Store away from heat.
e. Store away from heat.

No additional information available

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Benzyl acetate (140-11-4)				
Belgium - Occupational Exposure Limits				
OEL TWA	62 mg/m ³			
OEL TWA [ppm]	10 ppm			
Denmark - Occupational Exposure Limits				
OEL TWA [1]	61 mg/m³			
OEL TWA [2]	10 ppm			
Ireland - Occupational Exposure Limits	·			
OEL TWA [2]	10 ppm			
OEL STEL [ppm]	30 ppm (calculated)			
Latvia - Occupational Exposure Limits	•			
OEL TWA	5 mg/m³			
Lithuania - Occupational Exposure Limits	-			
IPRV (OEL TWA)	5 mg/m³			
Portugal - Occupational Exposure Limits				
OEL TWA [ppm]	10 ppm			
Chemical category	A4 - Not Classifiable as a Human Carcinogen			
Romania - Occupational Exposure Limits				
OEL TWA	50 mg/m³			
OEL TWA [ppm]	8 ppm			
OEL STEL	80 mg/m ³			
OEL STEL [ppm]	13 ppm			
Spain - Occupational Exposure Limits				
VLA-ED (OEL TWA) [1]	62 mg/m ³			
VLA-ED (OEL TWA) [2]	10 ppm			
USA - ACGIH - Occupational Exposure Limits				
ACGIH OEL TWA [ppm]	10 ppm			
ACGIH chemical category	Not Classifiable as a Human Carcinogen			

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

	Eye	protec	tion:					
Г								

Chemical goggles or safety glasses. Safety glasses

8.2.2.2. Skin protection

Skin and body protection: Wear suitable protective clothing Hand protection: Wear protective gloves.

8.2.2.3. Respiratory protection

Respiratory protection:

Wear appropriate mask

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Color	: light yellow. amber.
Odor	: Fruity.
Odor threshold	: No data available
рН	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: 93.33 °C (closed cup) ASTM D7094
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

 10.1. Reactivity

 The product is non-reactive under normal conditions of use, storage and transport.

 10.2. Chemical stability

Not established.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity (oral)	:	Not classified
Acute toxicity (dermal)	:	Not classified
Acute toxicity (inhalation)	:	Not classified

Allyl heptanoate (142-19-8)	
LD50 oral rat	500 mg/kg
LD50 oral	218 mg/kg body weight
LD50 dermal rabbit	810 mg/kg
LD50 dermal	810 mg/kg body weight

Benzyl acetate (140-11-4)	
LD50 oral rat	2490 mg/kg
LD50 oral	2490 mg/kg body weight
LD50 dermal rabbit	> 5000 mg/kg

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

cis-3-Hexenyl salicylate (65405-77-8)		
LD50 oral rat	5 g/kg	
LD50 dermal rabbit	> 2000 mg/kg	
	· ·	
Dimethylbenzyl carbinyl butyrate(DM		
LD50 oral rat	> 5 g/kg	
Aldehyde C-14 (104-67-6)		
LD50 oral rat	18500 mg/kg	
LD50 dermal rat	> 2000 mg/kg	
Geraniol (106-24-1)		
LD50 oral rat	3600 mg/kg	
LD50 oral	3600 mg/kg body weight	
LD50 dermal rabbit	> 5 g/kg	
Triplal (Vertocitral) (68039-49-6)		
LD50 oral	3900 mg/kg body weight	
Linalool (78-70-6)		
LD50 oral	2790 mg/kg body weight	
Linalyl acetate (115-95-7) LD50 oral rat	14550 mg/kg	
LD50 dermal rabbit	> 5000 mg/kg	
	> 5000 mg/kg	
Vanillin (121-33-5)		
LD50 dermal rabbit	> 5010 mg/kg	
Lemon oil (8008-56-8)	2840 mallia	
	2840 mg/kg	
Skin corrosion/irritation	: Causes skin irritation.	
Serious eye damage/irritation Respiratory or skin sensitization	:Causes serious eye damage. :May cause an allergic skin reaction.	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
Benzyl acetate (140-11-4)		
IARC group	3 - Not classifiable	
Reproductive toxicity	: Not classified	
STOT-single exposure	: Not classified	
STOT-repeated exposure	: Not classified	
Aspiration hazard	: Not classified	
Cosy Owl 20 28 Albert Read Braintree Ess	ex CM7.3 IO www.cosyowl.com enquiries@cosyowl.com $1+44$ (0)1376 560 348	8/15

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Potential Adverse human health effects and symptoms

: Based on available data, the classification criteria are not met

SECTIO	N 12: Eco	logical in	formation

12.1. Toxicity

Ecology - general	: Toxic to aquatic life with long lasting effects.
Hazardous to the aquatic environment, short-term	: Not classified
(acute) Hazardous to the aquatic environment, long-term (chronic)	: Toxic to aquatic life with long lasting effects.

Aldehyde C-14 (104-67-6)	
LC50 - Fish [1]	569 mg/l 96 h
EC50 - Crustacea [1]	5.85 mg/l 48 h
EC50 - Other aquatic organisms [1]	5.94 mg/l 72 h

Geraniol (106-24-1)	
LC50 - Fish [1]	22 mg/l (Exposure time: 96 h - Species: Danio rerio [static])

Linalool (78-70-6)	
EC50 96h - Algae [1]	88.3 mg/l (Species: Desmodesmus subspicatus)

Linalyl acetate (115-95-7)	
LC50 - Fish [1]	11 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [flow-through])

Vanillin (121-33-5)	
LC50 - Fish [1]	53 – 61.3 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
LC50 - Fish [2]	88 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
NOEC (acute)	10000 mg/kg (Exposure time: 42 Days - Species: Eisenia foetida [soil dry weight])

12.2. Persistence and degradability

Mango #TCDL-CFRA-BOWL-NMAN	
Persistence and degradability	Not established.
12.3. Bioaccumulative potential	
Mango #TCDL-CFRA-BOWL-NMAN	
Bioaccumulative potential	Not established.
Benzyl acetate (140-11-4)	
Partition coefficient n-octanol/water (Log Pow)	1.96
Vanillin (121-33-5)	
Partition coefficient n-octanol/water (Log Pow)	1.23 (at 22 °C)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

12.4. Mobility in soil	
No additional information available	
12.5. Results of PBT and vPvB assessment	
No additional information available	
12.6. Other adverse effects	
Additional information	: Avoid release to the environment.
SECTION 13: Disposal considerations	

13.1. Waste treatment methods

Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Product/Packaging disposal recommendations	: Dispose of contents/container in accordance with local/national laws and regulations.
	Dispose in a safe manner in accordance with local/national regulations.
Ecology - waste materials	: Avoid release to the environment.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

14.1 UN number	
UN-No. (ADR) UN-No. (IMDG) UN-No. (IATA) UN-No. (ADN) UN-No. (RID)	: UN 3082 : UN 3082 : UN 3082 : UN 3082 : UN 3082
14.2. UN proper shipping name	
Proper Shipping Name (ADR) Proper Shipping Name (IMDG) Proper Shipping Name (IATA) Proper Shipping Name (ADN) Proper Shipping Name (RID) Transport document description (ADR)	 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Lemon oil), 9, III, (-)
Transport document description (IMDG)	: UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Lemon oil), 9, III, MARINE POLLUTANT
Transport document description (IATA) Transport document description (ADN)	 : UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Lemon oil), 9, III : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Lemon oil), 9, III
Transport document description (RID)	: UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III
14.3. Transport hazard class(es)	
ADR Transport hazard class(es) (ADR) Hazard labels (ADR)	: 9 : 9 : •
IMDG	


IMDG

Transport hazard class(es) (IMDG)

: 9

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



14.5. Environmental hazards		
	Dangerous for the environment Marine pollutant Other information	YesYesNo supplementary information available
	14.6. Special precautions for user	
	Overland transport Classification code (ADR) Special provision (ADR) Limited quantities (ADR) Excepted quantities (ADR) Packing instructions (ADR) Special packing provisions (ADR) Mixed packing provisions (ADR) Portable tank and bulk container instructions (ADR) Portable tank and bulk container special provisions (ADR)	: M6 : 274, 335, 375, 601 : 5I : E1 : P001, IBC03, LP01, R001 : PP1 : MP19 : T4 : TP1, TP29
	Tank code (ADR) Vehicle for tank carriage	: LGBV : AT

Transport category (ADR)	Verhole for tallit barriage	
	Transport category (ADR)	

: 3

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Special provisions for carriage - Packages (ADR) Special provisions for carriage - Loading, unloading and handling (ADR)	: V12 : CV13
Hazard identification number (Kemler No.) Orange plates	90 90 3082
Tunnel restriction code (ADR) EAC	: - : •3Z
Transport by sea	
Special provision (IMDG)	: 274, 335, 969
Limited quantities (IMDG)	: 5L
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: LP01, P001
Packing provisions (IMDG)	: PP1
IBC packing instructions (IMDG)	: IBC03
Tank instructions (IMDG)	: T4
Tank special provisions (IMDG)	: TP2, TP29
EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-F
Stowage category (IMDG)	: A
Air transport	
PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y964
PCA limited quantity max net quantity (IATA)	: 30kgG
PCA packing instructions (IATA)	: 964
PCA max net quantity (IATA)	: 450L
CAO packing instructions (IATA)	: 964
CAO max net quantity (IATA)	: 450L
Special provision (IATA)	: A97, A158, A197
ERG code (IATA)	: 9L
Inland waterway transport	: M6
Classification code (ADN) Special provision (ADN)	. 100 : 274, 335, 375, 601
Limited quantities (ADN)	: 5L
Excepted quantities (ADN)	: E1
Carriage permitted (ADN)	: T
Equipment required (ADN)	: PP
Number of blue cones/lights (ADN)	: 0
Rail transport	
Classification code (RID)	: M6
Special provision (RID)	: 274, 335, 375, 601
Excepted quantities (RID)	: E1
Packing instructions (RID)	: P001, IBC03, LP01, R001
Special packing provisions (RID)	: PP1
Mixed packing provisions (RID)	: MP19
Portable tank and bulk container instructions (RID)	: T4
Portable tank and bulk container special provisions (RID)	: TP1, TP29
Tank codes for RID tanks (RID)	: LGBV
Transport category (RID)	: 3
Special provisions for carriage – Packages (RID)	: W12
Special provisions for carriage - Loading, unloading	
and handling (RID)	
	050
Colis express (express parcels) (RID)	: CE8
Hazard identification number (RID)	: 90

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

Cosy Owl, 20-28 Albert Road, Braintree, Essex, CM7 3JQ | www.cosyowl.com | enquiries@cosyowl.com |+44 (0)1376 560 348

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006:	
Reference code Applicable on	
3(a) Lemon oil	
Mango #TCDL-CFRA-BOWL-NMAN ; Dimethylbenzyl carbinyl butyrate(DMBCB) ; Allyl heptanoate ; Geraniol ; Lemon oil ; Linalyl acetate ; Triplal (Vertocitral) ; Linalool	
Mango #TCDL-CFRA-BOWL-NMAN ; Dimethylbenzyl carbinyl butyrate(DMBCB) ; Benzyl acetate ; Allyl heptanoate ; cis-3- Hexenyl salicylate ;Aldehyde C-14 ; Lemon oil ; Triplal (Vertocitral)	
Lemon oil	
1	

Contains no REACH candidate substance

Contains no REACH Annex XIV substances.

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance(s) subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

15.1.2. National regulations

Germany

Water hazard class (WGK)	: WGK 2, significant hazardous to water (Classification according to AwSV, Annex 1)
Hazardous Incident Ordinance (12. BImSchV)	: Is not subject of the Hazardous Incident Ordinance (12. BImSchV)
Netherlands	
SZW-lijst van kankerverwekkende stoffen	: cis-3-Hexenyl salicylate,Lemon oil ,Triplal (Vertocitral) are listed
SZW-lijst van mutagene stoffen	: cis-3-Hexenyl salicylate,Lemon oil, Triplal (Vertocitral) are listed
NIET-limitatieve lijst van voor de voortplanting	: None of the components are listed
giftige stoffen – Borstvoeding	
NIET-limitatieve lijst van voor de voortplanting	: None of the components are listed
giftige stoffen – Vruchtbaarheid	
NIET-limitatieve lijst van voor de voortplanting	: None of the components are listed
giftige stoffen – Ontwikkeling	
Denmark	
Class for fire hazard	: Class III-1
Store unit	: 50 liter
Classification remarks	: Flammable according to the Danish Ministry of Justice; Emergency management guidelines for the storage of flammable liquids must be followed
Danish National Regulations	: Young people below the age of 18 years are not allowed to use the product Pregnant/breastfeeding women working with the product must not be in direct contact with the product

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information	
Abbreviations and acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
EN	European Standard
IARC	International Agency for Research on Cancer
ΙΑΤΑ	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
РВТ	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disrupting properties

Other information

: None.

Full text of H- and EUH-phrases:	
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Inhalation)	Acute toxicity (inhalation) Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral) Category 3
Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment - Chronic Hazard Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment - Chronic Hazard Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment - Chronic Hazard Category 3

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Fue Dem 4	Cariana and damaga (and initation Catagory 4
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 3	Flammable liquids Category 3
Skin Irrit. 2	Skin corrosion/irritation Category 2
Skin Sens. 1	Skin sensitization, Category 1
Skin Sens. 1B	Skin sensitization, Category 1B
H226	Flammable liquid and vapor.
H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.