

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Issue date: 7/22/2019 Revision date: 3/12/2021 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form	: Mixture
Product name	: Marshmallow #TCDL-CFRA-BOWL-NMAR
UFI	: DYNV-V28H-700T-TTRX
Product code	: TCDL-CFRA-BOWL-NMAR
Type of product	: Perfumes, Fragrances
Product group	: Finished Good

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category Industrial/Professional use spec Use of the substance/mixture Function or use category

- : Industrial use: For professional use only
- : Perfumes, Fragrances
- : Odour agents

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

The Cosy Owl 20-28 Albert Road, Braintree, Essex CM7 3JQ Tel: +44 1376 560 348 <u>enquiries@cosyowl.com</u> – <u>www.cosyowl.com</u> Company registration number: 07738645

1.4. Emergency telephone number

Emergency number:

+44 1376 560 348

SECTION 2: Hazards identification

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral) Category 4	H302
Serious eye damage/eye irritation, Category 2	H319
Skin sensitization, Category 1	H317
Hazardous to the aquatic environment - Chronic Hazard Category 2	H411
Full text of H statements : see section 16	

Adverse physicochemical, human health and environmental effects

Harmful if swallowed. Toxic to aquatic life with long lasting effects. May cause an allergic skin reaction. Causes serious eye irritation.

2.2. Label elements

Labeling according to Regulation (EC) No. 1272/2	008 [CLP]	
Hazard pictograms (CLP)		¥2
	GHS07	GHS09
Signal word (CLP)	: Warning	
Contains	: Benzyl benzoate; Ca Linalool	ashmeran; Heliotropine crystals; Cedramber; Iso E Super; Eugenol;

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Hazard statements (CLP)	 H302 - Harmful if swallowed. H317 - May cause an allergic skin reaction. H319 - Causes serious eye irritation. H411 - Toxic to aquatic life with long lasting effects.
Precautionary statements (CLP)	 P264 - Wash hands, forearms and face thoroughly after handling. P270 - Do not eat, drink or smoke when using this product. P272 - Contaminated work clothing should not be allowed out of the workplace. P273 - Avoid release to the environment. P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. P333+P313 - If skin irritation or rash occurs: Get medical advice/attention. P337+P313 - If eye irritation persists: Get medical advice/attention.

2.3. Other hazards

No additional information available

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Benzyl benzoate	(CAS-No.) 120-51-4 (EC-No.) 204-402-9 (EC Index-No.) 607-085-00-9 (REACH-no) 01-2119976371-33	29.385 – 58.77	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Iso E Super	(CAS-No.) 54464-57-2 (EC-No.) 259-174-3 (REACH-no) 01-2119489989-04	8.495 – 16.99	Skin Sens. 1, H317 Aquatic Chronic 2, H411
Ethyl vanillin crystals	(CAS-No.) 121-32-4 (EC-No.) 204-464-7 (REACH-no) 01-211958961-24	4.72 – 9.44	Eye Irrit. 2, H319
Veltol plus crystals	(CAS-No.) 4940-11-8 (EC-No.) 225-582-5	2.62 - 5.24	Acute Tox. 4 (Oral), H302
Linalool	(CAS-No.) 78-70-6 (EC-No.) 201-134-4 (EC Index-No.) 603-235-00-2 (REACH-no) 01-2119474016-42	1.785 – 3.57	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
Heliotropine crystals	(CAS-No.) 120-57-0 (EC-No.) 204-409-7 (REACH-no) 01-2119983608-21	1.31 – 2.62	Skin Sens. 1B, H317
Cedramber	(CAS-No.) 19870-74-7 (EC-No.) 243-384-7	0.29 – 0.58	Aquatic Acute 1, H400 Aquatic Chronic 1, H410 Skin Sens. 1B, H317
Eugenol	(CAS-No.) 97-53-0 (EC-No.) 202-589-1 (REACH-no) 01-2119971802-33	0.29 – 0.58	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Skin Sens. 1B, H317
Cedarwood oil, Texas	(CAS-No.) 68990-83-0 (EC-No.) 294-461-7;614-888-8	0.185 – 0.37	Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

	(CAS-No.) 33704-61-9 (EC-No.) 251-649-3 (REACH-no) 01-2119977131-40	0.08 – 0.16	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317 STOT RE 2, H373 Aquatic Chronic 2, H411
Ambrettolide	(CAS-No.) 28645-51-4 (EC-No.) 249-120-7	0 – 0.05	Aquatic Chronic 1, H410 (M=10) Aquatic Acute 1, H400 (M=10)

Full text of H-phrases: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Call a poison center/doctor/physician if you feel unwell.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth. Call a poison center/doctor/physician if you feel unwell.
4.2. Most important symptoms and effect	ts, both acute and delayed
Symptoms/effects after skin contact Symptoms/effects after eye contact	: May cause an allergic skin reaction. : Eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
5.2. Special hazards arising from the subs	tance or mixture
Hazardous decomposition products in case of fire	: Toxic fumes may be released.
5.3. Advice for firefighters	
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release	e measures
6.1. Personal precautions, protec	tive equipment and emergency procedures
6.1.1. For non-emergency personnel	
Emergency procedures	: Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
6.2. Environmental precautions	

Avoid release to the environment.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

6.3. Methods and material for containment	t and cleaning up
For containment Methods for cleaning up Other information	: Collect spillage. : Take up liquid spill into absorbent material. : Dispose of materials or solid residues at an authorized site.
6.4. Reference to other sections	

For further information refer to section 13.

7.1. Precautions for safe handling	
Precautions for safe handling	: Ensure good ventilation of the work station. Wear personal protective equipment. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray.
Hygiene measures	Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.
7.2. Conditions for safe storage, ir	ncluding any incompatibilities
7.2. Conditions for safe storage, in Storage conditions	Cluding any incompatibilities Store in a well-ventilated place. Keep cool.
Storage conditions	
Storage conditions Storage temperature	: Store in a well-ventilated place. Keep cool.
	: Store in a well-ventilated place. Keep cool. : 25 °C

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

No additional information available

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

8.2.2.1. Eye and face protection

Eye protection:

Safety glasses

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Protective gloves

8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

9.2. Other information

No additional information available

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information		
11.1 Information on toxicologica	leffects	
Acute toxicity (oral) Acute toxicity (dermal) Acute toxicity (inhalation)	: Harmful if swallowed. : Not classified : Not classified	
Marshmallow #TCDL-CFRA-BO	VL-NMAR	

ATE CLP (oral)	819.024 mg/kg body weight
	·
Benzyl benzoate (120-51-4)	

Benzyi benzoate (120-51-4)	
LD50 oral rat	500 mg/kg
LD50 oral	1500 mg/kg body weight
LD50 dermal rabbit	4000 mg/kg
LD50 dermal	4000 mg/kg body weight

Ambrettolide (28645-51-4)	
mg/kg	

Cashmeran (33704-61-9)	
LD50 oral	2900 mg/kg body weight

Veltol plus crystals (4940-11-8)	
LD50 oral rat	1150 mg/kg
LD50 oral	1200 mg/kg body weight
LD50 dermal rabbit	> 5000 mg/kg

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Ethyl vanillin crystals (121-32-4)	
LD50 oral rat	1590 mg/kg
LD50 oral	3000 mg/kg body weight
LD50 dermal rat	> 2000 mg/kg
Eugenol (97-53-0)	
LD50 oral rat	1930 mg/kg
LD50 oral	2500 mg/kg body weight
Heliotropine crystals (120-57-0)	
LD50 oral rat	2700 mg/kg
LD50 oral	2700 mg/kg body weight
LD50 dermal rat	> 5000 mg/kg
Linalool (78-70-6)	
LD50 oral	2790 mg/kg body weight
kin corrosion/irritation : Not classified erious eye damage/irritation : Causes serious eye irritation. espiratory or skin sensitization : May cause an allergic skin reaction. erm cell mutagenicity : Not classified arcinogenicity : Not classified	
Eugenol (97-53-0)	
IARC group	3 - Not classifiable
Reproductive toxicity :	Not classified
STOT-single exposure :	Not classified
STOT-repeated exposure	Not classified
Cashmeran (33704-61-9)	
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.
Aspiration hazard :	Not classified

SECTION 12: Ecological information

12.1. Toxicity	
Ecology - general Hazardous to the aquatic environment, short-term (acute)	: Toxic to aquatic life with long lasting effects. : Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Toxic to aquatic life with long lasting effects.

Benzyl benzoate (120-51-4)	
LC50 - Fish [1]	2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])
NOEC (chronic)	0.168 mg/l

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Cashmeran (33704-61-9)	
LC50 - Fish [1]	10.3 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])
Veltol plus crystals (4940-11-8)	
LC50 - Fish [1]	> 85 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)
Ethyl vanillin crystals (121-32-4)	
LC50 - Fish [1]	81.4 – 94.3 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
Eugenol (97-53-0)	
LC50 - Fish [1]	13 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])
Heliotropine crystals (120-57-0)	
LC50 - Fish [1]	2.5 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [static])
Linalool (78-70-6)	
EC50 96h - Algae [1]	88.3 mg/l (Species: Desmodesmus subspicatus)
12.2. Persistence and degradability	
Benzyl benzoate (120-51-4)	
Persistence and degradability	May cause long-term adverse effects in the environment.
Codemused all Taxas (69000.92.0)	
Cedarwood oil, Texas (68990-83-0) Persistence and degradability	Not established.
12.3. Bioaccumulative potential	
Benzyl benzoate (120-51-4)	
Partition coefficient n-octanol/water (Log Pow)	4
Bioaccumulative potential	Not established.
	·
Cedarwood oil, Texas (68990-83-0)	
Bioaccumulative potential	Not established.
12.4. Mobility in soil	
No additional information available	
12.5. Results of PBT and vPvB assessment	
No additional information available	
12.6. Other adverse effects	
No additional information available	
SECTION 13: Disposal considerations	
SECTION 13. Disposal considerations	

13.1. Waste treatment methods

Waste treatment methods

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

14.1 UN number	
UN-No. (ADR)	: UN 3082
UN-No. (IMDG)	: UN 3082
UN-No. (IATA)	: UN 3082
UN-No. (ADN)	: UN 3082
UN-No. (RID)	: Not applicable
14.2. UN proper shipping name	
Proper Shipping Name (ADR)	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Proper Shipping Name (IMDG)	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Proper Shipping Name (IATA)	: Environmentally hazardous substance, liquid, n.o.s.
Proper Shipping Name (ADN)	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Proper Shipping Name (RID)	: Not applicable
Transport document description (ADR)	: UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Cedarwood oil, Texas), 9, III, (E)
Transport document description (IMDG)	: UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Cedarwood oil, Texas), 9, III, MARINE POLLUTANT
Transport document description (IATA)	: UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Cedarwood oil, Texas), 9, III
Transport document description (ADN)	: UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III
14.3. Transport hazard class(es)	

ADR


IMDG


ΙΑΤΑ


Transport hazard class(es) (ADR) Hazard labels (ADR)

Transport hazard class(es) (IMDG)

Hazard labels (IMDG)







Transport hazard class(es) (IATA) Hazard labels (IATA)

ADN

Transport hazard class(es) (ADN) Hazard labels (ADN)

Cosy Owl, 20-28 Albert Road, Braintree, Essex, CM7 3JQ | www.cosyowl.com | enquiries@cosyowl.com |+44 (0)1376 560 348

: 9

: 9

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

÷



	\vee \vee	
RID Transport hazard class(es) (RID)	: Not applicable	
14.4. Packing group		
Packing group (ADR) Packing group (IMDG) Packing group (IATA) Packing group (ADN) Packing group (RID)	: III : III : III : III : Not applicable	
14.5. Environmental hazards		
Dangerous for the environment Marine pollutant Other information	: Yes : Yes : No supplementary information available	
14.6. Special precautions for user		
Overland transport Classification code (ADR) Special provision (ADR) Limited quantities (ADR) Excepted quantities (ADR) Packing instructions (ADR) Special packing provisions (ADR) Mixed packing provisions (ADR) Portable tank and bulk container instructions (ADR) Portable tank and bulk container special provisions (ADR) Tank code (ADR) Vehicle for tank carriage Transport category (ADR) Special provisions for carriage - Packages (ADR) Special provisions for carriage - Loading, unloading and handling (ADR) Hazard identification number (Kemler No.) Orange plates	: M6 : 274, 335, 601, 375 : 51 : E1 : P001, IBC03, LP01, R001 : PP1 : MP19 : T4 : TP1, TP29 : LGBV : AT : 3 : V12 : CV13 : 90 : 90	
Tunnel restriction code (ADR) EAC Transport by sea	: E : •3Z	
Special provision (IMDG) Limited quantities (IMDG) Excepted quantities (IMDG) Packing instructions (IMDG) Packing provisions (IMDG) IBC packing instructions (IMDG) Tank instructions (IMDG) Tank special provisions (IMDG) EmS-No. (Fire) EmS-No. (Spillage) Stowage category (IMDG) Flash point (IMDG)	: 274, 335, 969 : 5 L : E1 : P001, LP01 : PP1 : IBC03 : T4 : TP2, TP29 : F-A : S-F : A :	
Air transport PCA Excepted quantities (IATA) PCA Limited quantities (IATA)	: E1 : Y964	

Cosy Owl, 20-28 Albert Road, Braintree, Essex, CM7 3JQ | www.cosyowl.com | enquiries@cosyowl.com |+44 (0)1376 560 348

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

PCA limited quantity max net quantity (IATA) PCA packing instructions (IATA) PCA max net quantity (IATA) CAO packing instructions (IATA) CAO max net quantity (IATA) Special provision (IATA) ERG code (IATA)	: 30kgG : 964 : 450L : 964 : 450L : A97, A158, A197 : 9L
Inland waterway transport	
Classification code (ADN)	: M6
Special provision (ADN)	: 274, 335, 375, 601
Limited quantities (ADN)	: 5 L
Excepted quantities (ADN)	: E1
Carriage permitted (ADN)	: T
Equipment required (ADN)	: PP
Number of blue cones/lights (ADN)	: 0
Rail transport Not applicable	

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006:		
Reference code Applicable on		
3(b)	Benzyl benzoate ; Cedarwood oil, Texas ; Cashmeran ; Cedramber ; Iso E Super ; Eugenol ; Linalool	
3(c)	Benzyl benzoate ; Ambrettolide ; Cedarwood oil, Texas ; Cashmeran ; Cedramber ; Iso E Super	

Contains no REACH candidate substance

Contains no REACH Annex XIV substances.

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance(s) subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

15.1.2. National regulations

Germany

Water hazard class (WGK)	: WGK 2, significant hazardous to water (Classification according to AwSV, Annex 1)
Hazardous Incident Ordinance (12. BImSchV)	: Is not subject of the Hazardous Incident Ordinance (12. BImSchV)
Netherlands	
SZW-lijst van kankerverwekkende stoffen	: Cedarwood oil, Texas is listed
SZW-lijst van mutagene stoffen	: None of the components are listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding	: None of the components are listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid	: None of the components are listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling	: None of the components are listed
Denmark	
Classification remarks Danish National Regulations	 Emergency management guidelines for the storage of flammable liquids must be followed Young people below the age of 18 years are not allowed to use the product Pregnant/breastfeeding women working with the product must not be in direct contact with the product
Switzerland Storage class (LK)	: LK 10/12 - Liquids

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
EN	European Standard
IARC	International Agency for Research on Cancer
ΙΑΤΑ	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

ED Endocrine disrupting properties Full text of H- and EUH-phrases: Acute Tox. 4 (Oral) Acute toxicity (oral) Category 4 Aquatic Acute 1 Hazardous to the aquatic environment - Acute Hazard Category 1 Aquatic Chronic 1 Hazardous to the aquatic environment - Chronic Hazard Category 1 Aquatic Chronic 2 Hazardous to the aquatic environment - Chronic Hazard Category 2 Asp. Tox. 1 Aspiration hazard Category 1 Eye Irrit. 2 Serious eye damage/eye irritation, Category 2 Skin Irrit. 2 Skin corrosion/irritation Category 2 Skin Sens. 1 Skin sensitization, Category 1 Skin Sens. 1B Skin sensitization, Category 1B STOT RE 2 Specific target organ toxicity - Repeated exposure, Category 2 H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H373 May cause damage to organs through prolonged or repeated exposure. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects.

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.